

□□□□	□□□□□□
□□□	106-1
□□□□□	□□□□□□
□□□	37-47 (3-13)
□□□	38 □□ □□□□
□□□□	2.0kgs V pr □□□□□□□□□□
□□□□□	100%□ PVC □□ + □□□□□□□ □□□□□
□□□□□	□□ □□□□□□□□
□□	PVC □□
□□	□□ CE □□
□□	1.□ V □ V □V□□ V □□□□ □□□ □□□ pvc □□□□ 2.□□□□□□□□□□ 3.□□□□□□ □□□□□□□□□□□□□□□□□□□□□□ 4.□□□□□ 5.□□□□ (200)□□ □□□□ (1100 N)□
□□□	5 □□□□□□□□□□□□□□
□□□	□□□□□□□□□□ 10 □ 1 □
□□□□	50x30x48cm
G.W./N.W.:	21KGS/20 □□
□□□□□□□□□□	3800 □□ V □□□ 1 × 20\' 7600 □ V □□□ 1 × 40\' 9000 □ V HQ □□□ 1 × 40\'

□□□□□□□□□□□□

□□	□□ □□□□	□□□□□ (mm)	□□ □□□□	□□□□□ length(cm)
37V3	36	1.8-2.5	1.8	23.0
38V4	37	1.8-2.5	1.85	24.6
39V5	37.8	1.8-2.5	1.9	25.2
40V6	38.0	1.8-2.5	1.95	25.8
41V7	38.2	1.8-2.5	2.00	26.4
42V8	38.5	1.8-2.5	2.075	27.0
43V9	38.8	1.8-2.5	2.15	27.6
44V10	39	1.8-2.5	2.20	28.2
45V11	39.2	1.8-2.5	2.26	28.8
46V12	39.5	1.8-2.5	2.30	29.4
47V13	39.7	1.8-2.5	2.35	30.0

□□ pvc □□□



