

□□ □□:	□□□ pvc □□□ □□
□□ □□:	103-1
□ □□ □□	□□□ □□
□□:	38-46 (4-12)
□□:	38.5 c m (□□)
□□ □□	1.6kgs V □
□ □□	100% □□□ PVC □□ + □□ □ (□□ □□ □□) □□□
□□□ □□	□ □ □□□ (□□ □□□ □□)
□□	PVC □□
□□	CE □□
□□	<ol style="list-style-type: none"> 1. □ V □ V □□□ V □□ V □□□ □□, □-□□, □□□ □□ pvc □□. 2. outsole □□ □□ □□. 3. □□ □□, □□ □□□□ □□□□ □□□□ □□ □□□ □□□ □□ 4. □□ □□□□ □□ □□.
□□:	5 □□, □□ □ □ □□□ □□□□□.
□□□:	□ □ □□, □□ □ 10 □ □□ □□ □□ □ 12 □ □□ □□ □□ 15 □ □ 1 □.
□□ □□	50X30X43cm □□ 50x30x46cm □□ 50x30x56cm.
G.W./N.W.:	18KGS/17KGS □□ 21kgs/20kgs □□ 26kgs/25kgs.
□□ □□ □□□□:	4200 □ V 1 x 20' □□□□ 8500 □ V □□□□ 1 x 40' 10000 □ V 1 x 40' HQ □□□□

□□□ □□□ □□□ □□:

□□	□□ (□□□□)	□ □ □□ (cm)	□□ (mm)	primeter (mm)□
38	1.38	25	368	445
39	1.4	25.5	370	450
40	1.45	26	375	455
41	1.55	26.5	380	460
42	1.6	27	385	465
43	1.65	27.5	390	470
44	1.7	28	395	475
45	1.75	28.5	400	480
47	1.8	29	405	485

□□ □□ □□:







