

000:	00 00 00
00 00:	0,142
000 00 :	00 leahter (000 000 000 0 00 00 0 00, 00 0 000 00, 00 00, 00 0 000 00, 00 00 00, 0000 leataher, 00 00 0)00. 000 00 00, 00000, 00 0 000 00 (000 000 00 0, 00000 000 00)
000:	1. 00 000 00 00 0000. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 00, 00000 00 00 000 0)
	2. 0 00 00000 000000.
00 : (00 00)	1. 00 00 0000 000000. (ASTM F2413-05 M I / 75 C / 75, CE ENISO 20345 00 0000 0000 00)
	2. 0 0000 00000
00:	PU 0000 00 00 0000.
0:	0000 0000 00000 00.
0:	MESH FABRIC (,NON-WOVEN CAMBRELLA 0000 00 0 0000)
00 :	0000 00
00:	00
00:	00 0
00:	4-13 (38-47)
00:	300, 0000 00 0 00 00.
00:	00 00 00 00, 0000 100
00 00	58.5x40x32.5cm
000000 00 00 :	3,5000 / 1X20 '00 7,0000 / 1x40 '00000

0142 PU TPU 0000 00 00 0000 000000



0142 □□ □□ □□ □□ □□ TPU :

