

Product Description

CE:	CE EN ISO 20345:2011 S3 SRC
TM:	TM031
Material:	Upper: TPU, Lining: PU/ PU
Features:	1. Non-slip sole. 2. Non-slip sole.
Weight:	1. Non-slip sole. 2. Non-slip sole.
Color:	Black
Material:	PU
Material:	PU
Material:	EVA
Material:	PU
Material:	PU
Material:	37-47
CE:	CE EN ISO 20345:2011 S3 SRC
Weight:	6 kg
Material:	PU/ PU/ PU/ PU/ PU/ PU, PU, PU & PU.
Material:	1 kg / pair, 10 kg. Size: 59 x 44 x 33 cm
Material:	3300/1x20" PU 6600/1x40" PU

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT






Company Information

Our shoes are made of PVC and are ISO 9001:2015 certified. They are CE ENISO 20345:2011 and ASTM F2413-18 certified. They are made of PPE (Personal Protective Equipment), which is resistant to impact, compression, and heat, and is suitable for use in industrial environments.

Tiger Master shoes are made of PVC and are ISO 9001:2015 certified. They are CE ENISO 20345:2011 and ASTM F2413-18 certified. They are made of PPE (Personal Protective Equipment), which is resistant to impact, compression, and heat, and is suitable for use in industrial environments.

TIGER MASTER OFFICE SHOW



TIGER MASTER SAMPLE ROOM



SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

PERSONAL PROTECTIVE EQUIPMENT WORK SAFETY SOLUTION PROVIDER



Safety Work Shoes

[View More](#)



PVC Rain Boots

[View More](#)



Military Army Boots

[View More](#)



Rain Coat/ Suit

[View More](#)



Work Garments

[View More](#)



Reflective Safety Vest

[View More](#)



Safety Work Gloves

[View More](#)



Safety Helmets

[View More](#)



Safety Harness

[View More](#)



Ear muff/ Plugs

[View More](#)



Safety Goggles

[View More](#)



Warning Tape

[View Details](#)