

Product Description

Productnaam:	Anti-slip pu loopzool puncture proof YDS veiligheidsschoenen mid cut stalen toe
Item nr:	TM049
Bovenwerk en zool:	Bovenwerk: gesplitst rundleer in reliëf; Zool: PU/ PU zool met dubbele dichtheid
Teen:	1. Stalen neus om slagvast te zijn 200 joule. Om uw voeten teen te beschermen zonder gevaar. 2. non wordt ook verstrekt.
Tussenzool :	1. Stalen plaat om lekbestendig te zijn: 1100 Newton. Om uw voeten te beschermen zonder doorboord te worden door spijkers of scherpe voorwerpen. 2. non wordt ook verstrekt
Halsband:	PU (kunstleer)
Tong:	PU (kunstleer)
Voering:	Zachte luchtmesh stof voering voor een comfortabele pasvorm
Schoenzolen:	Uitneembare gegoten EVA binnenzool biedt superieure ondervoetsteun en gedempt comfort
Bouw:	Injectie (gegoten)
Hoogte:	Midden-cut
Maat:	36-47
Standaard:	CE EN ISO 20345:2011 SB-P SRC of anderen.
Garantie:	6 maanden De zool wordt niet uit het midden gebroken of eraf getrokken binnen zes maanden nadat de goederen in de bestemmingshaven zijn aangekomen. Geen garantie voor het bovenwerk.
Functie:	Slip/ olie/ zuur/ benzine/ chemical/ impact/ perforatie resistent, schokabsorptie, duurzaam, anti statisch & waterbestendig beschikbaar.
Pakket:	1 paar per kleurdoo, 10 paarper doos. Karton: maat: 59 x 44 x 33 cm
Laad hoeveelheid container:	3200pairs / 1x20 "container 6400pairs/1x40 container

Product Pictures



**200 JOULE
TOECAP**



**SLIP-
RESISTANT**



**SHOCK
ABSORPTION**



ANTI-STATIC



**PETROL AND
CHEMICAL
RESISTANT**



**ANTI-NAIL
MIDSOLE**



**OIL
RESISTANT**





Company Information

Tiger Master is fabrikant van veiligheidsschoenen en pvc-regenlaarzen. We zijn gekwalificeerd ISO 9001:2015 kwaliteitsmanagementsysteem. Sommige van onze hot sale-modellen hebben ook CE ENISO 20345:2011 en ASTM F2413-18 gekwalificeerd. Ondertussen zijn we ook een professioneel merk voor: [PBM \(persoonlijke beschermingsmiddelen\)](#), vooral op het gebied van veiligheidshandschoenen, werkkleding, helmen, veiligheidsvest, oorkap/plug, safe y harnas, regenjas/pak enz.

Bedankt voor uw interesse in Tiger Master, ik hoop dat u de gewenste producten kunt vinden en onze zakelijke samenwerking kunt starten. Mocht u meer informatie nodig hebben, neem dan gerust contact met ons op, wij staan hier altijd voor u klaar.

EU TYPE EXAMINATION CERTIFICATE

intertek



Issued to: HEILONGJIANG SAFER CO., LTD.
 100000 HAILUO PLAZA, NO.205 (SHANGHAI ROAD), HAILUO, CHINA

Issue Date: 15 September 2020

Expiry Date: 15 September 2025

Certificate No.: 1113 00041111 Extension by Certificate 10790317003

Product Reference(s): H/T 19 (S 300, 302)
 H/T 20 (S 200, 21)

Description:

TYPE/VERSION	: H/T 19(S)
Material	: Composite/Termite
Color	: H/T 19(S) AND 20(S) GREEN/BLACK/WHITE/BLACK
Size	: 1700
Style	: 1700 P1/P2
Material	: 1700
Use Application(s)	: STOP, WARNING, FIRE
Size Range	: 17-180
Category	: LSP 10C

For more information, please contact the nearest Intertek office or visit our website at www.intertek.com



Inspector: *[Signature]* Date: 15/09/2020

Certification Manager: *[Signature]* Date: 15/09/2020

Intertek (UK) Ltd, Testing Services, L30, Luton



Certificate of Quality Management System

Certificate No.: 105821Q
 Certified that

HEILONGJIANG SAFER CO., LTD.

100000 HAILUO PLAZA, NO.205 (SHANGHAI ROAD), HAILUO, CHINA
 (Postal Address: Qianbu Road, No. 205 Hailuo Road, Hailuo, Heilongjiang Province, China)

Has established a Quality Management System which is in accordance with the Requirements of the Standard as specified in Clause 8.1:

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 to Nov. 16, 2024
 Issue Date: Nov. 17, 2021

The obligations of the Certificate shall be maintained to preserve an excellent quality of EWC for maintenance conditions on effectiveness of certificate see <http://www.intertek.com> and official website of Certification and Accreditation Administration of People's Republic of China for details about scope of this Certificate in Nov. 2021.

EWC: *[Signature]*





For more information, please contact the nearest Intertek office or visit our website at www.intertek.com

EU TYPE EXAMINATION CERTIFICATE

intertek



Issued to: HAILUO SAFETY PRODUCTS MFG CO., LTD.
 100000 HAILUO PLAZA, NO.205 (SHANGHAI ROAD), HAILUO, CHINA

Issue Date: 16 September 2020

Expiry Date: 16 September 2024

Certificate No.: 10790317003

Product Reference(s): H/T 19(S)
 SAFETY BOOTS

Description:

Construction	: PROTECTA
Toe Cap	: ABS STEEL TOECAP
Midsole	: SHOCK ABSORBING
Outsole	: PVC & NYLON
Material	: PU
Toe Height	: 40/45/50/55/60/65/70
Size Range	: 36-44
Category	: 10 10A

For more information, please contact the nearest Intertek office or visit our website at www.intertek.com



Inspector: *[Signature]* Date: 16/09/2020

Certification Manager: *[Signature]* Date: 16/09/2020

Intertek (UK) Ltd, Testing Services, L30, Luton

Intertek is a Registered Provider of CE Marking Services under the CE Marking Directive (2002/95/EC). The CE Marking Directive (2002/95/EC) is a European Union Directive which requires manufacturers to ensure that their products are safe and do not contain hazardous substances. Intertek is a Registered Provider of CE Marking Services under the CE Marking Directive (2002/95/EC). The CE Marking Directive (2002/95/EC) is a European Union Directive which requires manufacturers to ensure that their products are safe and do not contain hazardous substances. Intertek is a Registered Provider of CE Marking Services under the CE Marking Directive (2002/95/EC). The CE Marking Directive (2002/95/EC) is a European Union Directive which requires manufacturers to ensure that their products are safe and do not contain hazardous substances.

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY