Product Name:	CE SBP standard safety boots shoes
Item No:	3078
Upper and Sole:	Genuine leather upper, PU dual density sole.
Toe:	1. Steel toe cap to be impact resistant . (ASTM F2413-05 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of fitting to choose from)
	2. non-steel toe is also provided.
Steel plate : (steel midsole)	1. Steel plate to be puncture resistant. (ASTM F2413-05 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of fitting to choose from)
	2. non-steel plate is also provided
Collar:	PU padded with heavy duty sponge.
Tongue:	perfect soft genuine leather
Lining:	MESH FABRIC
Sockliner:	Comfortable cushion
Construction:	PU injection
Height:	Middle Cut
Size:	4—12 (38-46)
Guarantee:	3 month, heavy duty and solid quality.
Package:	Color inner box packing, 10 pairs in a carton
Carton Size	56x38x31.5cm (38-40); 58.5x40x32.5cm (41-43); 61x42x35cm (44-46)
Load quantity of Container:	3300pairs /1x20' container 8200pairs /1x40' HQ container

FAQ:

1.Question: What is your MOQ?

----Our MOQ is 1000 pairs per style with mixed size.

2.Question: Can i ask one pair samples before place order?

----Yes we can send you one pair sample for free as your quality check, but customer need to pay courier cost by themselves ,such as DHL,TNT, Fedex, EMS etc.

3.Question: Do you have CE certificate, we need it to clear custom?


----Yes, our products can meet CE standard ,and we have cooperation relationship with different international labs,including interteck from UK, CTC from France SABS from South Africa etc

4.Question: What is your payment, how can we pay you?
----Our company can accept both T/T, and L/C payment. If you have any other payment requirements, please leave message or contact our online salesman directly.


5. Question: What is the quality guarantee time?

----This sytle safety shoes are offered 3 month quality guarantee after shipping. If the shoes are broken within 3 month, please contact us, we will compensate you new shoes without any payment.

Export history of safety shoes:



Safety shoes sole model show:



safety shoes CE certificate:



be Examination



Approved Body 0362

The safety footwear detailed herein meets the criteria of an EC Type Examination in accordance with Article 10 of the PPE Directive (89/686/EEC) including amendments and corrigendum up to 14/12/2010 for intermediate design dategory products

This has been shown through satisfactory testing to EN ISO 20345: 2011 and examination of the Technical File Documentation,

Following an EC Declaration of Product Conformity you are hereby licensed to mark the product(s) detailed in accordance with Article 13 of the PPE Directive (89/686/EEC).

ITS Testing Services (UK) Ltd. Centre Court Meridian Business Park

Leicester, LE19 1WD United Kingdom

Phone: +44 (0)116 263 0330 +44 (0)116 263 0311 Issued to RUIAN HONGSUN SHOES CO., LTD.

QIANBU INDUSTRIAL ZONE, XINCHENG TOWN, RUIAN

CITY, ZHEJIANG PROVINCE, CHINA

HARBIN ANA SAFETY PRODUCTS MFG. CO., LTD. Authorised Representative

Lixin Village, Xinhua Town, Acheng District, Harbin,

Heilongjiang Province, China

Date of Issue : 13 January 2016

Expiry Date 11 February 2020

Certificate No. LEC FI00362467 (Extension of certificate LEC FI00347154)

Product Reference(s) Safety Shoes

> H8K01, H8K02 H8K03, H8K04 H8K05, H8K06 H8K07, H8K08 H8K09, H8K10

Description Construction Injection

> Toecap Steel toecap Midsole Steel plate 8000 Last 8000 PU/PU Sole

8000 Mould

Test Report(s) See technical file

Size Range 38-46 Category SBP SRA

Assessor

13/01/2016

13/01/2016

Date

Certification Manager

For and on behalf of ITS Testing Services (UK) Limited

Registered in England No. 1408264 Registered Office: Academy Place, 1-9 Brook Street, Brentwood, Essex, CM14 5NQ

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of intertek's Certification mark is restricted to the conditions taid out in the agreement and in this Certificate. Any further use of the Intertex name for the sale or advertisement of the fested material, product or service must first be approved in without by Intertain. vice must first be approved in writing by Intertek