Product Description

Product Name:	Oil resistant anti slip steel toe leather safety shoes without lace
Item No:	HA5010
Upper and Sole:	Embossed split cow leather upper, PU/PU dual density sole
Toe:	1. Steel toe to be impact resistant . (ASTM F2413-18 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of fitting to choose from)
	2. non-steel toe is also provided.
plate :	1. Steel plate to be puncture resistant. (ASTM F2413-18 M I/75 C/75, CE ENISO 20345 STANDARD, A variety of fitting to choose from)
	2. non-steel plate is also provided
Style:	No lace, with double-sided elastic gore
Lining:	AIR MESH FABRIC (,NON-WOVEN CAMBRELLA AND LEATHER CAN BE PROVIDED)
Sockliner:	Moulded EVA coated with mesh fabric or others
Construction:	PU injection
Height:	High ankle
Size:	37-46
Guarantee:	6 months
Package:	Color inner box packing, 10 pairs in a carton
Carton Size	59 x 44 x 33 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

Product Pictures





SAFETY SHOES TEST





Toecap Test≥200 Joules



Midsole Test≥1200 Newtons



ESD Anti-Static Test



Tear Strength ≥120N



Bondness Test ≥4.0N/mm



Flex Tester ≥ 36,000T

Canton Fair





SAFETY SHOES



RAIN BOOTS





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY