

## Product Description

Product Name:	Best selling black leather steel toe safety shoes in Bangladesh
Item No:	HS1050
Upper and Sole:	Upper: Embossed cow split leather Sole: PU dual density
Toe:	1. Steel toe cap, it can be impact resistant 200 Joules. 2. Non is also provided.
Midsole :	1. Steel plate, it can be puncture resistant 1100 newton. 2. Non is also provided
Weight:	1.1 kgs/pr
Collar:	PU artificial leather with sponge
Tongue:	PU artificial leather
Lining:	Grey air & dry mesh fabric (Your feet will be kept dry and comfortable)
Sockliner:	Moulded EVA or others (Greatly reduce your pain & fatigue from daily work)
Construction:	PU Injection
Height:	Low ankle
Size:	37-47 (3-13)
Standard:	CE EN ISO 20345 SBP SRC or others as your requirements
Guarantee:	6 months
Package:	1 pair per color inner box packing, 10 pairs per carton.
Carton Size	58.5 x 40 x 32.5 cm
Load quantity of Container:	3300pairs /1x20' container 6600pairs /1x40' container

## Product Pictures





## *Company Information*



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JINCHANG TOWN, NINGBO CITY, ZHEJIANG PROVINCE, CHINA

**Authorisation/Registration:** FUJIAN HONGJIAN SHISEI CO., LTD.  
1201 WILSON ROAD, SUZHOU INDUSTRIAL ZONE, HANGZHOU PROVINCE, CHINA

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170004199)

**Product Reference(s):** Safety Group:  
48631-18632  
48633-18634  
48635-18636  
48637-18638  
885-186-186-887

**Description:**

Construction:	Indoor
Turning:	Open window
Material:	Steel plate
Color:	SS02
Size:	800 (Height)
Mount:	ACU
Open Position:	One-way inward lift
Open Range:	90°-180°
Category:	889-186

**Authorized Signatory:**  180102947

**Intertek Representative:**  180102948

**Authorized Signatory:**  180102948

**Intertek Representative:**  180102948

**Product Reference:** L20170002947 (extension of certificate L20170004199)

**Description:** Safety Group: 48631-18632, 48633-18634, 48635-18636, 48637-18638, 885-186-186-887

**Authorized Signatory:** [Signature] 180102947

**Intertek Representative:** [Signature] 180102948

**Authorized Signatory:** [Signature] 180102948

**Intertek Representative:** [Signature] 180102948



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY