

## Product Description

اسم المنتج:	أحذية من الجلد الصناعي مقاومة للتقرب TIGER MASTER
رقم العنصر:	0166
العلوي والوحيد:	العلوي: جلد نوبوك سبليت ثنائي الكثافة PU / وحيد: وحيد
إصبع قدم:	1. إصبع القدم الصلب لتكون مقاومة للتأثير 200 جول. 2. غير المقدمة أيضا.
منتصف النعل:	1. صفيحة فولاذية كن ثقب مقاومة 1100 نيوتن. 2. عدم يكون أيضا قدمت
وزن:	كلغ / العلاقات العامة 1.2
طوق:	بو الجلود الاصطناعية
لسان:	بو الجلود الاصطناعية
بطانة:	(قماش شبكي هوائي (ستبقى قدميك مريحة
Sockliner:	(المصبوب (يقلل بشكل كبير من الألم والتعب من العمل اليومي PU أو HI-POLY أو EVA
اعمال بناء:	PU حقن
ارتفاع:	قطع الأوسط
بحجم:	38-46
اساسي:	أو غيرهم كمتطلباتك CE EN ISO 20345 SB-P SRC
ضمان:	6 اشهر
وظيفة:	مقاومة للانزلاق / الزيت / التصادم / البزل ، مقاومة للكهرباء الساكنة ، مقاومة للماء ، امتصاص الصدمات
صفقة:	زوج لكل مربع اللون ، 10 أزواج في الكرتون. حجم الورق المقوى: 33 × 44 × 59 سم 1
كمية حمولة الحاوية:	3200pairs / 1x20 حاوية 6400pairs / 1x40 حاوية

## Product Pictures





## *Company Information*



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISE CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JINCHANG TOWN, NINGBO CITY, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDEHONG SAFETY PRODUCTS MFG. CO., LTD.  
1-101 Village, Xuyao Town, Juyong District, Ningbo, Zhejiang Province, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170004199)

**Product Reference(s):** Safety Plug  
480V 10A/15A  
480V 10A/20A  
480V 10A/25A  
480V 10A/30A  
50V 20A 30A 50A

**Description:**

Construction:	Insulation
Terminal:	Open contact
Material:	Open slot
Lead:	0.05
Wire:	0.05 (PVC)
Mount:	ACB
Test frequency:	See national file
Test range:	20-40
Category:	001-010

**Notified Body:** Intertek (UK) Ltd  
140, Queen's Road Central, Hong Kong  
Tel: +852 2900 9554  
Fax: +852 2900 9555  
www.intertek.com

**Signature:** *C.M.* 16/1/2018

**Printed Name:** *C.M.* 16/1/2018

**Authorised Representative:** HANDEHONG SAFETY PRODUCTS MFG. CO., LTD.  
1-101 Village, Xuyao Town, Juyong District, Ningbo, Zhejiang Province, China



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**



**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY