

## Product Description

اسم المنتج:	أحذية أمان رجالية منخفضة الوزن من الفولاذ خفيف الوزن في الكاحل
رقم العنصر:	708
العلوي والوحيد:	□□□□□□ □□□□□□ □□□□ □□□□□□ □□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□□ □□□□□□ □□ □□□□□□
غطاء اصبع القدم:	غطاء اصبع القدم الصلب مقاوم للصدمات 200 جول. (معياري ASTM F2413-18 M I / 75 C / 75 , CE EN ISO 20345) أيضًا Non يتم توفير.
منتصف النعل:	نعل غير معدني مضاد للاختراق مقاوم للثقب 1100 نيوتن. (معياري ASTM F2413-18 M I / 75 C / 75 , CE EN ISO 20345) أيضًا Non يتم توفير.
وزن:	0.80 كجم / العلاقات العامة
أسلوب:	أحذية رياضية بأربطة
طوق:	نسيج محبوبك الطيران 3D
لسان:	نسيج محبوبك الطيران 3D
بطانة:	نسيج شبكي للتنفس
صبا:	EVA أو HI-POLY مصبوب أو PU
اعمال بناء:	عزز
ارتفاع:	كاحل منخفض
بحجم:	يورو 36-48
ضمان:	الشهور 6
وظيفة:	س الشفة / الزيت / مقاومة الصدمات / الثقب ، مكافحة ساكنة ، امتصاص الصدمات ، خفيفة الوزن ، تنفس.
صفقة:	زوج لكل لون مربع ، 10 أزواج في الكرتون. حجم الكرتون هو 32.5 × 40 × 58.5 سم 1
كمية تحميل الحاوية:	زوج / حاوية 20 × 1 قدمًا 3300 زوج / حاوية 40 × 1 بوصة 6600

## Product Pictures











# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY