Product Description

اسم المنتج:	SBP عالٍ كاحل نفط ينزلق مقاومة بو باطن القدم رياضة سلامة أحذية
رقم الصنف:	773
العلوي والوحيد:	□□□□□□ □□□□□ □□□□ □□□□□□□ □□□□□ □□□□□ □□□□□ □□□□ :□□□□□□ □□□□□ □□□□□: PU □□□□□□□□□□ □□□□□ □□□□□□ □ □□□□□□□ □□□□□
غطاء اصبع القدم:	1. غطاء اصبع القدم الصلب مقاوم للصدمات 200 جول. لحماية أصابع قدميك دون مخاطر.
	2. غير متوفرة أيضا.
النعل الأوسط:	1. نعل غير معدني مضاد للاختراق يكون مقاوم للثقب 1100 نيوتن. لحماية قدميك دون ثقب بالأظافر أو الأشياء الحادة
	2. غير متوفرة أيضا
طوق:	نسيج محبوك الطيران 3D
لسان:	نسيج شبكي
بطانة:	نسيج شبكي ناعم للهواء لملاءمة مريحة
وسادات الحذاء:	توفر دعمًا وراحة تدوم طويلاً أسفل القدم HI-POLY أو EVA وسادة قدم قابلة للإزالة من مادة.
بناء:	حقن مصبوب
ارتفاع:	ارتفاع الكاحل
بحجم:	37-47
اساسي:	CE EN ISO 20345 SB-P SRC أو غيرها.
يضمن:	6 اشهر لم يتم كسر النعل من الوسط أو تم سحبه في غضون ستة أشهر بعد وصول البضائع إلى ميناء الوجهة. لا يوجد ضمان للجزء العلوي.
دور:	زيت / حمض / بنزين / كيميائي / مقاوم للصدمات / ثقب ، مضاد للانزلاق ، تنفس ، امتصاص الصدمات ، مضاد للكهرباء الساكنة.
طَرد:	□□□ □□□ □□□□□ □□□□□ □□□□□ 10 □□□□□ □□□□□ □□□□□. □□□□□ □□□□: 59 × 44 × 33 سم 1
كمية تحميل الحاوية:	حاوية 3200 زوج / 1 × 20 بوصة 6400 زوج / حاوية 1 × 40

Product Pictures

01

STEEL TOE CAP

European Standard Steel Toe Cap

02

BREATHABLE UPPER

Fly Woven Material upper

03

PUNCTURE PROOF

Non-metallic anti-penetration insoles
keep your feet safety

04

SLIP RESISTANT

pu outsole and ASTM anti-slip standard

EU TYPE
EXAMINATION
CERTIFICATE

intertek

CE

Issued to: HEILONGJIANG SAFER CO., LTD.
[illegible]

Issue Date: 15 September 2009

Expiry Date: 15 September 2019

Certificate No.: [illegible] (Extension to Certificate [illegible])

Product Reference(s): [illegible]

Description:
- Construction : Injection
- Toecap : Composite Toecap
- Midsole : Steel metallic anti penetration insole board
- Last : [illegible]
- Sole : [illegible] PU/PU
- Mould : [illegible]
- Test Report(s) : [illegible]
- Size Range : [illegible]
- Category : [illegible]

Signed: [illegible] Date: [illegible]

Certification Manager: [illegible] Date: [illegible]

For and on behalf of TÜV Testing Services (UK) Limited

EWC

Certificate of Quality Management System

Certificate No.: 105821Q

Certified that

HEILONGJIANG SAFER CO., LTD.

Unified Social Credit Code: [illegible]

Has established a Quality Management System which is in Accordance with the Requirements of the Standard (Not applicable to Clause 8.3)

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Batons, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 To: Nov. 16, 2024
Issue Date: Nov. 17, 2021

(The effectiveness of this Certificate shall be validated by periodic surveillance audit of EWC for maintenance. Conditions on effectiveness of certificate see: http://www.ewcqcs.org and official website of Certification and Accreditation Administration of People's Republic of China: http://www.cnca.gov.cn)

Expiry of This Certificate is Nov. 2023.
Serial No.: V1007072

EWC:

ANAB IAF

EU TYPE
EXAMINATION
CERTIFICATE

intertek

CE

Issued to: [illegible]

Issue Date: 06 September 2019

Expiry Date: 06 September 2024

Certificate No.: [illegible]

Product Reference(s): [illegible] SAFETY BOOTS

Description:
- Construction : INJECTION
- Toecap : [illegible] STEEL TOECAP
- Midsole : [illegible] STEEL PLATE
- Last : [illegible]
- Sole : PVC & NITRILE
- Mould : [illegible]
- Test Report(s) : [illegible]
- Size Range : [illegible]
- Category : [illegible]

Signed: [illegible] Date: [illegible]

Certification Manager: [illegible] Date: [illegible]

For and on behalf of TÜV Testing Services (UK) Limited

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY