

## Product Description

اسم المنتج:	خفيفة الوزن الألياف الزجاجية اصبع القدم أحذية السلامة واقية من ثقب CE وافق
رقم العنصر:	BTA049
العلوي والوحيد:	□□□□□□ □□ □□ □□□□ □□ □ PU / PU □□□□□□□□ □□□□□□ □□□□ □
غطاء اصبع القدم:	الألياف الزجاجية اصبع القدم لتكون مقاومة للصدمات 200 جول. (معيار ASTM F2413-18 M I / 75 C / 75 , CE EN ISO 20345) أيضًا Non يتم توفير
منتصف النعل:	غير معدني مضاد للاختراق ومقاوم للثقب 1100 نيوتن. نعل متوسط (معيار ASTM F2413-18 M I / 75 C / 75 , CE EN ISO 20345) أيضًا Non يتم توفير
شهادة:	م
أسلوب:	الذي تغلب عليه اسهم تصل
طوق:	جلد سويدي
لسان:	جلد سويدي
بطانة:	نسيج شبكي للتنفس
صبان:	PU أو HI-POLY أو EVA مصبوب
اعمال بناء:	PU حقن
بحجم:	يورو 37-47
ضمان:	6 اشهر
الاستعمال:	المطار ، ورشة العمل ، المستودع ، العمل الداخلي ، العمل العام إلخ
وظيفة:	الشفة / الزيت / مقاومة الصدمات / ثقب ، مكافحة ساكنة ، امتصاص الصدمات ، خالية من المعادن
صفقة:	زوج لكل لون مربع ، 10 أزواج في الكرتون. حجم الكرتون هو 32.5 × 40 × 58.5 سم 1
كمية تحميل الحاوية:	حاوية 3200 زوج / 1 × 20 قدمًا حاوية 6400 زوج / 1 × 40 بوصة

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY