

## Product Description

اسم المنتج:	أحذية السلامة الصناعية الرجال toecap زلة مقاومة عالية الكاحل جلد الصلب
رقم العنصر:	HA3005
العلوي والوحيد:	العلوي: تنقش جلد البقر الانقسام الوحيد: بو الكثافة المزدوجة
إصبع قدم:	1. غطاء إصبع القدم الصلب ، يمكن أن يكون تأثير مقاومة 200 جول . 2. غير وتقدم أيضا .
ميدسولي:	1. لوحة الصلب، يمكن أن يكون ثقب مقاومة 1100 نيوتن . 2. عدم يكون أيضا قدمت
وزن:	كلغ / العلاقات العامة 1.2
طوق:	بو الجلود الاصطناعية مع الاسفنج
لسان:	sandproof ، بو الجلود الاصطناعية
بطانة:	(شبكة الهواء والجافة (ستبقى قدميك جافة ومريحة
Sockliner:	(مقولب أو غيره (قلل إلى حد كبير من الألم والتعب من العمل اليومي EVA
اعمال بناء:	بو حقن
ارتفاع:	ارتفاع الكاحل
بحجم:	(بورو (الولايات المتحدة 4-12 38-46
اساسي:	أو غيرها حسب الاحتياجات الخاصة بك CE EN ISO 20345 SBP SRC
ضمان:	6 اشهر
صفقة:	زوج لكل ج أولور مربع التعبئة الداخلية ، 10 أزواج في الكرتون 1
حجم الورق المقوى	سم 59 × 44 × 33
تحميل كمية الحاوية:	3000 pairs / 1x20 حاوية 6000 pairs / 1x40 حاوية

## Product Pictures



***Company Information***



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

# 2020 INTERSEC

## SAFETY SHOES & RAIN BOOTS PROFESSIONAL

