

## Product Description

اسم المنتج:	أحذية السلامة الرياضية إيفا الأسمنت الوحيد للعمل
رقم العنصر:	TMC4003
العلوي والوحيد:	المواد: EVA العلوي: EVA
إصبع قدم:	1. مقدمة من الصلب أو غطاء إصبع القدم المركب لتكون مقاومة للصدمات 200 جول. 2. غير متوفرة أيضا.
ميدسولي:	1. للثقب 1100 نيوتن نعل كيفلر متوسط. 2. غير متوفرة أيضا.
طوق واللسان:	قماش ناعم
وزن:	كجم لكل زوج 0.76
بطانة:	نسيج شبكي ناعم للهواء ، سيحافظ على راحة قدميك
ضبان:	يقلل بشكل كبير من آلام قدميك والتعب من العمل اليومي ، PU أو HI-POLY أو EVA مصبوب
اعمال بناء:	عزز
ارتفاع:	الكاحل المنخفض
بحجم:	(يورو) (الولايات المتحدة 2-12 36-46)
اساسي:	أو غيرها CE EN ISO 20345 SB-P SRC
ضمان:	اشهر 6
صفقة:	زوج لكل لون مربع ، 10 أزواج في الكرتون 1
حجم الورق المقوى:	سم 58.5x40x32.5
كمية تحميل الحاوية:	زوج / حاوية 1 × 20 قدمًا 3300 زوج / حاوية 1 × 40 بوصة 6600

## Product Pictures







# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# SHOES MATERIALS



**Genuine Cow Leather**



**CE Steel Toecap**



**CE Steel Plate**



**Composite Toecap**



**Different Eyelets**



**Durable Lace**



**Breathable Lining**



**Comfortable Insoles**



**PU or RUBBER or TPU soles**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY