

Product Description

اسم المنتج:	انخفاض الكاحل خفيفة الوزن الصلب اصبع القدم ثقب الرجال أحذية رياضية أحذية السلامة
رقم الصنف:	803.
العلوي والوحيد:	3 000000 0000 00 0000000D 000000 00000 00000 00000 00000000 00 00000000
قبة اصبع القدم:	قبة اصبع القدم الصلب لتكون تأثير مقاوم 200 جول. (قياسي) (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) غير موجود أيضا.
منتصف الوحد:	النعال غير المعدنية المضادة للاختراق لتكون ثقب مقاومة 1100 نيوتن. (قياسي) (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) غير موجود أيضا.
وزن:	0.80 كلغ / العلاقات العامة
أسلوب:	حتى أحذية رياضية laced
طوق:	تحلق نسيج محبوك 3D
لسان:	تحلق نسيج محبوك 3D
بطانة:	نسيج شبكة الهواء تنفس
Sockliner:	مصبوب إيفا أو مرجبا بولي أو بو
بناء:	أسمنت
ارتفاع:	انخفاض الكاحل
بحجم:	يورو 36-48
يضمن:	6. الشهور
دور:	س الشفة / النفط / تأثير / مقاومة الثقب، مكافحة ساكنة، امتصاص الصدمات، الوزن الخفيف، تنفس
طررد:	زوج لكل مربع اللون، 10 أزواج في الكرتون. حجم الكرتون 32.5 × 40 × 58.5 سم 1
تحميل كمية الحاوية:	3300pairs / حاوية 1x20' 6600pairs / حاوية 1x40'

Product Pictures















PUNCTURE RESISTANT



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY