

نحن هي سلامة أحذية مصنع و الصانع و المورد

Product Description

اسم المنتج:	جديد بو حقن البني جلد اصبع القدم مركب سلامة أحذية العمل 2019
رقم الصنف:	PEP001
العلوي والوحيد:	العلوي: جلد الحصان المجنون الوحيد: بو الكثافة المزدوجة
إصبع قدم:	1. غطاء إصبع القدم المركب (أو غطاء إصبع القدم الصلب) لتكون مقاومة للصدمات (200 جول) 2. غير المقدمة أيضا.
ميدسولي:	1. (النعال كيفلر (أو لوحة الصلب) لتكون مقاومة للثقب (1100 نيوتن). 2. غير المقدمة أيضا.
طوق:	بو الجلود الاصطناعية مع الاسفنج
لسان:	النسيج عالية الكثافة أكسفورد
بطانة:	(قمماش أسود وشبكة جافة (ستبقى قدميك جافة ومريحة من العمل اليومي)
Sockliner:	(مقولب (تقلل إلى حد كبير ألم وتعب قدميك من العمل اليومي PU أو HI-POLY
اعمال بناء:	حقن بو
ارتفاع:	ارتفاع الكاحل
بحجم:	38-46 (4-12)
اساسي:	أو غيرها حسب متطلباتك CE EN ISO 20345: 2011 SB-P
ضمان:	6 اشهر
صفقة:	لون مربع التعبئة الداخلية ، 10 أزواج في الكرتون
حجم الورق المقوى	(سم 59 × 44 × 33 43-41)
كمية حمولة الحاوية:	3200 pairs / 1x20 حاوية 6400 pairs / 1x40 حاوية

Product Pictures





Company Information



Intertek

EC Type Examination Certificate

CE	Issued to:	SHANGHAI HONGYUAN SHIBAO CO., LTD. SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUDU 2017, JIANGSU PROVINCE, CHINA																																
	Authorised Representative:	Intertek Asia SAFETY PRODUCTS APC (S) LTD. 1201 Village Square Street, Anson Estate, Singapore Singapore, Singapore																																
	Date of Issue:	11 January 2018																																
	Expiry Date:	11 February 2020																																
	Certificate No.:	LEC170002947 (extension of certificate LEC16284198)																																
	Product Reference(s):	<table border="0"> <tr><td>Safety Group:</td><td>1000</td></tr> <tr><td>Model:</td><td>1000</td></tr> <tr><td>Material:</td><td>1000</td></tr> <tr><td>Color:</td><td>1000</td></tr> <tr><td>Size:</td><td>1000</td></tr> <tr><td>Weight:</td><td>1000</td></tr> <tr><td>Power Rating:</td><td>1000</td></tr> <tr><td>Temperature:</td><td>1000</td></tr> </table>	Safety Group:	1000	Model:	1000	Material:	1000	Color:	1000	Size:	1000	Weight:	1000	Power Rating:	1000	Temperature:	1000																
Safety Group:	1000																																	
Model:	1000																																	
Material:	1000																																	
Color:	1000																																	
Size:	1000																																	
Weight:	1000																																	
Power Rating:	1000																																	
Temperature:	1000																																	
	Description:	<table border="0"> <tr><td>Construction:</td><td>1000</td></tr> <tr><td>Design:</td><td>1000</td></tr> <tr><td>Material:</td><td>1000</td></tr> <tr><td>Color:</td><td>1000</td></tr> <tr><td>Size:</td><td>1000</td></tr> <tr><td>Weight:</td><td>1000</td></tr> <tr><td>Power Rating:</td><td>1000</td></tr> <tr><td>Temperature:</td><td>1000</td></tr> <tr><td>Construction:</td><td>1000</td></tr> <tr><td>Design:</td><td>1000</td></tr> <tr><td>Material:</td><td>1000</td></tr> <tr><td>Color:</td><td>1000</td></tr> <tr><td>Size:</td><td>1000</td></tr> <tr><td>Weight:</td><td>1000</td></tr> <tr><td>Power Rating:</td><td>1000</td></tr> <tr><td>Temperature:</td><td>1000</td></tr> </table>	Construction:	1000	Design:	1000	Material:	1000	Color:	1000	Size:	1000	Weight:	1000	Power Rating:	1000	Temperature:	1000	Construction:	1000	Design:	1000	Material:	1000	Color:	1000	Size:	1000	Weight:	1000	Power Rating:	1000	Temperature:	1000
Construction:	1000																																	
Design:	1000																																	
Material:	1000																																	
Color:	1000																																	
Size:	1000																																	
Weight:	1000																																	
Power Rating:	1000																																	
Temperature:	1000																																	
Construction:	1000																																	
Design:	1000																																	
Material:	1000																																	
Color:	1000																																	
Size:	1000																																	
Weight:	1000																																	
Power Rating:	1000																																	
Temperature:	1000																																	

C.M. 10012345

Product Reference: 10012345

Product Reference: 10012345

Product Reference: 10012345



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY