

Product Description

اسم المنتج:	الصلب اصبع القدم غطاء أحذية السلامة الأوروبية ثقب ثقب دليل CE
رقم الصنف:	SD5067
العلوي والوحيد:	□□□□□ □□□□□ □□□ □□□□□ PU □□□□□□□□□
إصبع قدم:	1. أصابع الصلب لتكون مقاومة للتأثير 200 جول . مجموعة متنوعة من مناسب للإختيار , CE ENISO 20345 STANDARD , ASTM F2413-05 M I / 75 C / 75 , (من)
	2. كما يتم توفير إصبع القدم غير الصلب .
طبقة :	1. مسطحات الصلب لتكون مقاومة للثقب 1100 نيوتن . مجموعة متنوعة من التجهيزات , CE ENISO 20345 STANDARD , ASTM F2413-05 M I / 75 C / 75 , (للاختيار من بينها)
	2. كما يتم توفير لوحة غير فولاذية .
طوق:	بو الجلود الاصطناعية
لسان:	بو الجلود الاصطناعية , دليل على الرمال
البطانة:	نسيج شبكي جاف وجاف
Sockliner:	مصبوب ومطلبي بنسيج شبكي EVA
اعمال بناء:	PU حقن
ارتفاع:	ارتفاع الكاحل
بحجم:	يورو 37-47
ضمان:	6 الشهور
صفحة:	لون مربع التعبئة الداخلية , 10 أزواج في الكرتون
صفحة:	زوج لكل مربع اللون , 10 أزواج في الكرتون. حجم الكرتون 33 × 44 × 59 سم 1
كمية حمولة الحاوية:	3300 pairs / 1x20 حاوية 6600 pairs / 1x40 حاوية

Product Pictures





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength $\geq 120N$



**Bondness Test
 $\geq 4.0N/mm$**



Flex Tester $\geq 36,000T$

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY