

## Product Description

اسم المنتج:	جلدية سوداء بو الوحيد الصلب تو أحذية السلامة والدليل على ثقب CE وافق
رقم العنصر:	SJ0220Y
العلوي والوحيد:	TPU / PU PU / PU
كاب اصبع القدم:	أصابع من الصلب لتكون مقاومة للتأثير 200 جول. (القياسي) (ASTM F2413-18 M I / 75 C / 75 ، CE EN ISO 20345) كما يتم توفير إصبع القدم غير الصلب
منتصف النعل:	صفحة فولاذية مقاومة للثقب 1100 نيوتن. (القياسي) (ASTM F2413-18 M I / 75 C / 75 ، CE EN ISO 20345) كما يتم توفير لوحة غير فولاذية
الثقوب:	د الدائري
ربط الحذاء:	حذاء دائري متين من الدانتيل
طوق:	نسيج شبكي
لسان:	بو الجلود الاصطناعية
بطانة:	نسيج شبكة الهواء
Sockliner:	PU أو HI-POLY مصبوب أو EVA
اعمال بناء:	حقن PU
ارتفاع:	الكاحل المنخفض
بحجم:	يورو 37-47
ضمان:	6 الشهور
وظيفة:	مقاومة الشفة / الزيت / التأثير / البزل ، مقاومة للكهرباء الساكنة ، مقاومة للماء ، مضية ذاتيًا امتصاص الصدمات
صفحة:	زوج لكل مربع اللون ، 10 أزواج في الكرتون. حجم الكرتون 32.5 × 40 × 58.5 سم 1
كمية حمولة الحاوية:	3300pairs / 1x20 حاوية 6600pairs / 1x40 حاوية

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY