Product Description

اسم المنتج:	حذاء سلامة صناعي ماركة TIGER MASTER
رقم العنصر:	SJ0221
العلوي والوحيد:	جزء إصبع القدم هو TPU ، والجسم جلد أسود PU / PU كثافة مزدوجة
غطاء اصبع القدم:	اصبع القدم الصلب ليكون مقاوم للصدمات 200 جول. أو غطاء إصبع القدم المركب. معيار (ASTM F2413-18 M I / 75 C / 75 ، CE EN ISO 20345) القياسي كما يتم توفير أصابع القدم غير الفولاذية.
منتصف النعل:	صفيحة فولاذية مقاومة للثقب 1100 نيوتن. أو النعال كيفلر. معيار (ASTM F2413-18 M I / 75 C / 75 ، CE EN ISO 20345) القياسي كما يتم توفير لوح غير فولاذي.
الثقوب:	خاتم د
ربط الحذاء:	دائم الدانتيل الأحذية المستديرة
طوق:	نسيج شبكة ساندويتش
لسان:	بو الجلود الاصطناعية
بطانة:	نسيج شبكة الهواء
ضبان:	PU أو HI-POLY مصبوب أو EVA
اعمال بناء:	حقن PU
ارتفاع:	قطع الأوسط
بحجم:	يورو 37-47
ضمان:	6 الشهور
وظيفة:	سالشفة / الزيت / مقاومة الصدمات / الثقب ، مضاد للكهرباء الساكنة ، مقاوم للماء ، امتصاص الصدمات
صفقة:	زوج لكل لون مربع ، 10 أزواج في الكرتون. حجم الكرتون هو 59 × 44 × 33 سم 1
كمية تحميل الحاوية:	3300 زوج / حاوية 1 × 20 قدمًا 6600 زوج / حاوية 1 × 40 بوصة

Product Pictures

YOUR SAFETY IS
TIGER MASTER
SAFETY SHOES

Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N

Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY