

Product Description

اسم المنتج:	الصين حمض النفط مقاومة المضادة للانزلاق الصلب تو كاب رخيصة الرياضة نوع السلامة الأحذية
رقم الصنف:	SU027
العلوي والوحيد:	العلوي: جلد الغزال الوحيد: بو الكثافة المزدوجة
إصبع قدم:	1. (سقف اصبع القدم الصلب لتكون مقاومة للتأثير (200 جول 2. كما يتم توفير إصبع القدم غير الصلب.
ميدسولي:	1. (ألواح الصلب لتكون مقاومة للثقب (1100 نيوتن. 2. يتم توفير لوحة غير الصلب أيضا.
طوق:	أصفر شبكة النسيج عالية الكثافة
لسان:	نسيج شبكي مريح
بطانة:	تنفس الهواء البني & أمبير ؛ شبكة النسيج الجاف
Sockliner:	مصبوب إيفا المغلفة مع شبكة الهواء النسيج أو غيرها حسب الاحتياجات الخاصة بك
اعمال بناء:	حقن بو
ارتفاع:	انخفاض الكاحل
بحجم:	13 - 13 (37 - 47)
اساسي:	CE EN ISO 20345: 2011 SB-P أو غيرها حسب متطلباتك
ضمان:	6 اشهر
صفقة:	لون مربع التعبئة الداخلية ، 10 أزواج في الكرتون
حجم الورق المقوى	58.5x40x32.5cm
كمية حمولة الحاوية:	3200 حاويةpairs / 1x20 6400 حاويةpairs / 1x40

Product Pictures

**QUALITY
WARRANTY**

6 MONTHS





Company Information



Intertek

EC Type Examination Certificate

CE

Issued to: FUJIAN HONGJIAN SHISE CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO
321117, ZHEJIANG PROVINCE, CHINA

Authorised Representative: HANDEHU NEW SAFETY PRODUCTS APCC CO., LTD.
1201 Village, Xuyao Town, Jiaxing District, Hangzhou
311121, Zhejiang Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Plug
480V 10A/15A
480V 10A/20A
480V 10A/25A
480V 10A/30A
480V 15A/30A

Description:

Construction	Insulation
Terminal	Open contact
Material	Open wire
Lead	2000
Wire	6000 (PVC)
Mount	ACB
Test frequency	See national file
Test range	20-40
Category	2000-40A

Signature: *C.M.* **1507122118**
Date

Printed: **1507122118**
Date

Authorised Representative:
L20170002947 (extension of certificate L20170294719)
1201 Village, Xuyao Town, Jiaxing District, Hangzhou
311121, Zhejiang Province, China

Product Reference(s): Safety Plug
480V 10A/15A
480V 10A/20A
480V 10A/25A
480V 10A/30A
480V 15A/30A

Description:

Construction	Insulation
Terminal	Open contact
Material	Open wire
Lead	2000
Wire	6000 (PVC)
Mount	ACB
Test frequency	See national file
Test range	20-40
Category	2000-40A

Signature: *C.M.* **1507122118**
Date

Printed: **1507122118**
Date

Authorised Representative:
L20170002947 (extension of certificate L20170294719)
1201 Village, Xuyao Town, Jiaxing District, Hangzhou
311121, Zhejiang Province, China

Product Reference(s): Safety Plug
480V 10A/15A
480V 10A/20A
480V 10A/25A
480V 10A/30A
480V 15A/30A

Description:

Construction	Insulation
Terminal	Open contact
Material	Open wire
Lead	2000
Wire	6000 (PVC)
Mount	ACB
Test frequency	See national file
Test range	20-40
Category	2000-40A

Signature: *C.M.* **1507122118**
Date

Printed: **1507122118**
Date

Authorised Representative:
L20170002947 (extension of certificate L20170294719)
1201 Village, Xuyao Town, Jiaxing District, Hangzhou
311121, Zhejiang Province, China



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY