

## Product Description

اسم المنتج:	نمر أحذية العلامة التجارية الرئيسية مركب تو أحذية السلامة الرياضية لورشة العمل
رقم العنصر:	SU035G
العلوي والوحيد:	□□□□□□ □□□□□ □□□□□ □□ □□ □□□□□ □□□ □□□ PU / PU □□□□□□ □□□□□□
كاب اصبع القدم:	إصبع مركب مقاوم للتأثير 200 جول. (القياسي) (ASTM F2413-18 M I / 75 C / 75 ، CE EN ISO 20345) يتم توفير غير
منتصف النعل:	نعل منتصف غير معدني مضاد للاختراق ليكون مقاومًا للثقب 1100 نيوتن. (القياسي) (ASTM F2413-18 M I / 75 C / 75 ، CE EN ISO 20345) يتم توفير غير
ربط الحذاء:	حذاء دائري متين من الدانتيل
طوق:	نسيج أكسفورد عالي الكثافة
لسان:	نسيج أكسفورد عالي الكثافة
بطانة:	نسيج شبكة تنفس الهواء
Sockliner:	PU أو HI-POLY مصبوب أو EVA
اعمال بناء:	PU حقن
ارتفاع:	الكاحل المنخفض
بحجم:	يورو 38-46
ضمان:	6 الشهور
وظيفة:	خالية من المعادن ، ق مقاومة الشفة / الزيت / الصدم / البزل ، مقاومة ساكنة ، امتصاص الصدمات
صفحة:	زوج لكل مربع اللون ، 10 أزواج في الكرتون. حجم الكرتون 32.5 × 40 × 58.5 سم 1
كمية حمولة الحاوية:	3300 حاويةpairs / 1x20 6600 حاويةpairs / 1x40

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection



# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY