

## Product Description

اسم المنتج:	حذاء سلامة رياضي خفيف الوزن وخفيف الوزن للكاحل للرجال
رقم العنصر:	SU050
العلوي والوحيد:	PU + EVA + PU
غطاء اصبع القدم:	إصبع القدم المركب مقاوم للصدمات 200 جول. (معيار ASTM F2413-18 M I / 75 C / 75 , CE EN ISO 20345) أيضًا Non يتم توفير.
منتصف النعل:	غير معدني مضاد للاختراق ومقاوم للثقب 1100 نيوتن. نعل متوسط (معيار ASTM F2413-18 M I / 75 C / 75 , CE EN ISO 20345) أيضًا Non يتم توفير.
ربط الحذاء:	دائم الدانتيل الأحذية المستديرة
طوق:	نسيج نايلون
لسان:	نسيج نايلون
بطانة:	نسيج شبكي للتنفس
ضبان:	PU أو HI-POLY أو EVA مصبوب
اعمال بناء:	حقن PU
ارتفاع:	كاحل منخفض
بحجم:	يورو 38-46
ضمان:	الشهور 6
وظيفة:	الشفة / الزيت / مقاومة الصدمات / الثقب ، مضاد للكهرباء الساكنة ، امتصاص S ، خالية من المعادن الصدمات
صفقة:	زوج لكل لون مربع ، 10 أزواج في الكرتون. حجم الكرتون هو 32.5 × 40 × 58.5 سم 1
كمية تحميل الحاوية:	زوج / حاوية 20 × 1 قدمًا 3300 زوج / حاوية 40 × 1 بوصة 6600

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY