

Product Description

اسم المنتج:	حامض النفط مقاومة لمقاومة زلة أحذية السلامة السوستة مزدوجة دون الدانتيل
رقم الصنف:	TM103.
العلوي والوحيد:	□□□□□□ □□□ □□□□□□ □□□□ □□□□ □□□□□□ □□□□□□□□ □□
قبة اصبع القدم:	قبة اصبع القدم الصلب لتكون تأثير مقاوم 200 جول. (قياسي) (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) غير موجود أيضا.
منتصف الوحد:	لوحة الصلب لتكون ثقب مقاومة 1100 نيوتن. (قياسي) (ASTM F2413-18 M I / 75 C / 75, CE EN ISO 20345) غير موجود أيضا.
اساسي:	أو غيرها CE EN ISO 20345 SBP SRC
أسلوب:	لا الدانتيل، مع السوستة جوانب مزدوجة
طوق:	جلد بو الاصطناعي
لسان:	جلد سويدي
بطانة:	نسيج شبكة الهواء الناعم
Sockliner:	مصبوب مرجبا بولي أو بو
بناء:	حقنة
ارتفاع:	الكاحل العالي
بحجم:	38-46.
يضمن:	6. الشهور
دور:	س الشفة / النفط / تأثير / مقاومة ثقب، مكافحة ساكنة ومقاومة للماء المتاحة، امتصاص الصدمات
طرد:	زوج لكل مربع اللون، 10 أزواج في الكرتون. حجم الكرتون 33 × 44 × 59 سم 1
تحميل كمية الحاوية:	3300pairs / حاوية 1x20' 6600pairs / حاوية 1x40'

Product Pictures





SHOW

DETAIL DISPLAY



- **Over toe cap protection**



TIGER MASTER SAFETY SHOES

Your safety is our concern

Double sides zippers

Genuine cow suede leather



Comfortable Insoles

Breathable



Steel toe cap
Impact resistant



PU & Rubber Sole
Oil & acid & slip resistant

Steel plate
Puncture Resistant

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY