

Product Description

اسم المنتج:	الجلود الصلب تو المتاعب أحذية سلامة التعدين nubuck عالية الكاحل
رقم العنصر:	TM1204.
العلوي والوحيد:	Nubuck : نوبوك نوبوك / نوبوك : نوبوك
إصبع قدم:	1. قبعة اصبع القدم الصلب لتكون مقاومة تأثير 200 جول. 2. يتم توفير إصبع القدم غير الصلب أيضا.
ميدسول:	1. لوحة الصلب لتكون ثقب مقاومة 1100 نيوتن. 2. يتم توفير لوحة غير حديد
طوق:	جلد بو الاصطناعي
لسان:	Nubuck جلد الغزال والجلود سبليت
بطانة:	(نسيج شبكة الهواء) سيتم حفظ قديمك مريح
Sockliner:	مصبوب إيفا المغلفة مع نسيج شبكة الهواء أو غيرها
بناء:	بو حقن
شهادة:	معرف
مقاس:	38-46.
معيار:	أو غيرها. CE EN ISO 20345: 2011 SB-P SRC النفط / الانزلاق / تأثير / مقاومة البزل، مكافحة ساكنة ومقاومة للماء المتاحة
يضمن:	6 اشهر
صفقة:	زوج لكل ج أولور مربع التعبئة، 10 أزواج في الكرتون 1
حجم الورق المقوى	سم 59 × 44 × 33
تحميل كمية الحاوية:	حاوية 1x20 ' 3300pairs / حاوية 1x40 ' 6600pairs /

Product Pictures





TIGER MASTER SAFETY SHOES

Your safety is our concern



Comfortable Insoles

Breathable



Steel toe cap
Impact resistant



PU dual density sole
Oil & slip resistant

Steel plate
Puncture Resistant

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY