

## Product Description

اسم المنتج:	الجلود الصلب تو المتاعب أحذية سلامة التعدين nubuck عالية الكاحل
رقم الصنف:	TM1601.
العلوي والوحيد:	XXXXXXXXXXXX XXXXXXXX XX :XXXXXXXX XXXXXXXX XXXXXXX XXX / XX :XXXXXXXX
إصبع قدم:	1. قبعة اصبع القدم الصلب لتكون مقاومة تأثير 200 جول. 2. يتم توفير إصبع القدم غير الصلب أيضا.
ميدسول:	1. لوحة الصلب لتكون ثقب مقاومة 1100 نيوتن. 2. يتم توفير لوحة غير حديد
طوق:	جلد بو الاصطناعي
لسان:	جلد سويدي
بطانة:	(نسيج شبكة الهواء) (سيتم حفظ قديمك مريح
Sockliner:	مصبوب إيفا المغلفة مع نسيج شبكة الهواء أو غيرها
بناء:	بو حقن
شهادة:	معرف
مقاس:	38-46.
اساسي:	أو غيرها. CE EN ISO 20345: 2011 SB-P SRC النفط / الانزلاق / تأثير / مقاومة البزل، مكافحة ساكنة ومقاومة للماء المتاحة
يضمن:	6 اشهر
طرد:	زوج لكل ج أولور مربع التعبئة، 10 أزواج في الكرتون 1
حجم الورق المقوى	سم 59 x 44 x 33
تحميل كمية الحاوية:	3300pairs / حاوية 1x20' 6600pairs / حاوية 1x40'

## Product Pictures





# TIGER MASTER SAFETY SHOES

Your safety is our concern



**Steel toe cap**  
**Impact resistant**

**Comfortable Insoles**  
**Breathable**



**PU dual density sole**  
**Oil & slip resistant**

**Steel plate**  
**Puncture Resistant**

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY