

Product Description

اسم المنتج:	زيت زلة مقاومة سوداء جلد اصبع القدم مضادة الثقب السلامة الأحذية شبلي
رقم الصنف:	TM2003.
العلوي والوحيد:	العلوي: 000000 الوحيد: 000000 / 00
إصبع قدم:	1. قبعة اصبع القدم الصلب لتكون مقاومة تأثير 200 جول. 2. يتم توفير إصبع القدم غير الصلب أيضا.
ميدسول:	1. لوحة الصلب لتكون ثقب مقاومة 1100 نيوتن. 2. يتم توفير لوحة غير حديد
طوق:	جلد خنزير
لسان:	جلد خنزير
بطانة:	(جلد خنزير لينة (سيتم الاحتفاظ قديمك مريح
Sockliner:	المضادة للرقابة الساكنة مع نسيج شبكة الهواء أو غيرها بمكان الاحتياجات الخاصة بك EVA مغلقة ((تقلل إلى حد كبير آلام قدمك والتعب من العمل اليومي
بناء:	بو حقن
ارتفاع:	قطع الأوسط
بحجم:	38-47.
اساسي:	CE EN ISO 20345: 2011 S3 SRC
دور:	النفط / الانزلاق / تأثير / ثقب / مقاومة للماء، مكافحة ساكنة، امتصاص الصدمات
يضمن:	6 اشهر
طررد:	59. 44x33cm لون مربع الداخلية التعبئة، 10 أزواج في الكرتون. حجم الورق المقوى.
تحميل كمية الحاوية:	حاوية ' 1x20 3200pairs / حاوية ' 1x40 6400pairs /

Product Pictures





TIGER MASTER SAFETY SHOES

Your safety is our concern



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T