

Product Description

اسم المنتج:	رخيصة الأسود الصلب تو البزل أحذية السلامة والدليل الصناعي
رقم الصنف:	TM3010.
العلوي والوحيد:	□□□□□ □□□□□ □□ □□□□ □□□□□□ □□□□□ □□□□□ □□ / □□ □□□□□□
إصبع قدم:	1. قبعة اصبع القدم الصلب لتكون مقاومة تأثير 200 جول. 2. يتم توفير إصبع القدم غير الصلب أيضا.
ميدسول:	1. لوحة الصلب لتكون ثقب مقاومة 1100 نيوتن. 2. يتم توفير لوحة غير حديد.
طوق:	جلد بو الاصطناعي
لسان:	جلد بو الاصطناعي
بطانة:	(نسيج شبكة الهواء) (سيتم حفظ قديمك مريح)
Sockliner:	مصبوب إيفا المغلفة مع نسيج شبكة الهواء أو غيرها
بناء:	بو حقن
شهادة:	معرف
مقاس:	38-46.
اساسي:	أو غيرها. CE EN ISO 20345: 2011 SB-P SRC النفط / الانزلاق / تأثير / مقاومة البزل، مكافحة ساكنة ومقاومة للماء المتاحة
يضمن:	6 اشهر
طرد:	زوج لكل ج أولور مربع التعبئة، 10 أزواج في الكرتون 1
حجم الورق المقوى	سم 59 × 44 × 33
تحميل كمية الحاوية:	3300pairs / حاوية 1x20' 6600pairs / حاوية 1x40'

Product Pictures





SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY