

Product Description

اسم المنتج:	مقاومة للتآكل المضادة للانزلاق الأحذية الأمانية إصبع مركب للعمل
رقم العنصر:	TMC001
العلوي والوحيد:	□□□□□□ □□□□□□ □□□□□□ □□□□□□ (□□□□□□ □□□□□□) □□□□□□ □□□□□□
إصبع قدم:	1. غطاء اصبع القدم المركب ليكون مقاومة للتأثير 200 جول. 2. غير وتقدم أيضا.
ميدسولي:	1. غير المعدنية المضادة للاختراق منتصف الوحيد ليكون ثقب مقاومة 1100 نيوتن. 2. غير وتقدم أيضا.
طوق:	النسيج عالية الكثافة
لسان:	النسيج عالية الكثافة
بطانة:	هواء ناعم ونسيج شبكي جاف ، سيتم الحفاظ على قدميك مريحة
Sockliner:	المصبوب ، يقلل بشكل كبير من ألم وتعب قدميك من العمل اليومي PU أو HI-POLY أو EVA
اعمال بناء:	الأسمنتي
ارتفاع:	قطع الأوسط
بحجم:	(بورو (2-12 دولار أمريكي 36-46)
اساسي:	أو غيرها CE EN ISO 20345 SB-P
ضمان:	6 اشهر
تطبيق:	ورشة عمل ، مستودع ، العمل الداخلي ، المطار ، اللوجستية ، العمل العام ، موقع البناء الخ
صفقة:	زوج لكل مربع اللون ، 10 أزواج في الكرتون. القياس: 59 × 44 × 33 سم 1
تحميل كمية الحاوية:	3200 pairs / 1x20 حاوية زوج / 1 × 40 " حاوية 6500

Product Pictures





Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather



CE Steel Toecap



CE Steel Plate



Composite Toecap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles