

Product Description

اسم المنتج:	مقاومة التآكل المضادة للانزلاق أحذية السلامة الحرة الأجزاء المعدنية مركب تو
رقم العنصر:	TMC043
العلوي والوحيد:	3 :D : EVA (MD)
إصبع قدم:	1. غطاء إصبع مركب ليكون مقاومة للتأثير 200 جول. 2. غير المقدمة أيضا.
منتصف النعل:	1. الكيفلار النعل الأوسط مقاوم للثقب 1100 نيوتن. 2. غير المقدمة أيضا.
طوق:	تنفس الهواء تحلق D نسيج محبوبك 3
لسان:	قماش عالي الكثافة
البطانة:	هواء ناعم ونسيج شبكي جاف
Sockliner:	يقلل بشكل كبير من ألم وإرهاق القدمين من العمل اليومي ، PU أو HI-POLY أو EVA مصبوب
اعمال بناء:	عززت
ارتفاع:	الكاحل المنخفض
بحجم:	(بورو (الولايات المتحدة 2-12 36-46
اساسي:	CE EN ISO 20345 S1-P SRC أو غيرهم
ضمان:	6 اشهر
صفقة:	زوج لكل مربع اللون ، 10 أزواج في الكرتون 1
حجم الورق المقوى	سم 58.5x40x32.5
كمية حمولة الحاوية:	3300 pairs / 1x20 حاوية 6600 pairs / 1x40 حاوية

Product Pictures





Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

SHOES MATERIALS



Genuine Cow Leather



CE Steel Toe cap



CE Steel Plate



Composite Toe cap



Different Eyelets



Durable Lace



Breathable Lining



Comfortable Insoles



PU or RUBBER or TPU soles