

## Product Description

اسم المنتج:	أحذية خالية من المعدن مركب تو المضادة ساكنة المياه اللحم دليل لحم
رقم العنصر:	W1018
العلوي والوحيد:	العلوي ، بو والنعل المطاطي TPU تقسيم الجلود الحصان المجنون و
كاب اصبع القدم:	1. غطاء إصبع مركب ليكون مقاومة للتأثير 200 جول . مجموعة متنوعة ، (ASTM F2413-05 M I / 75 C / 75 ، CE ENISO 20345 STANDARD ، (من مناسب للإختبار من
	2. غير المقدمة أيضا .
منتصف النعل:	1. كيفلر منتصف النعل ليكون مقاوم للثقب 1100 نيوتن . مجموعة متنوعة من ، (ASTM F2413-05 M I / 75 C / 75 ، CE ENISO 20345 STANDARD ، (التجهيزات للاختبار من بينها
	2. غير المقدمة أيضا .
وظيفة:	زلة / زيت / تأثير / ثقب / مقاومة للتآكل ، مضاد للكهرباء الإستاتيكية ومقاوم للماء ، امتصاص الصدمات ، خالي من المعادن
أسلوب:	لا لحم الدانتيل الأحذية
البطانة:	قماش شبكة الهواء وجاف أو غيرها
Sockliner:	مصبوب هاي بولي أو غيره
اعمال بناء:	بو حقنة
ارتفاع:	(سم) متوسط 30
بحجم:	38-46 (4-12)
ضمان:	اشهر 6
صفقة:	لون مربع التعبئة الداخلية ، 10 أزواج في الكرتون
حجم الورق المقوى:	سم 68 × 65 × 34.5
كمية حمولة الحاوية:	زوج / حاوية 20 × 1 بوصة 1800 زوج / حاوية 3600x40

## Product Pictures







# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY