Product Description

اسم المنتج:	جلد بني مضاد للانزلاق حمض النفط مقاومة تو اصبع القدم مركب أحذية عالية
رقم الصنف:	W1020.
العلوي والوحيد:	العلوي : جلد الحصان المجنون الوحيد : بو والمطاط
إصبع قدم:	1. قبعة تو مركب لتكون تأثير 200 جول.
	2. غير موجود أيضا.
ميدسول:	1. النعال غير المعدنية المضادة للاقتران لتكون ثقب مقاومة 1100 نيوتن.
	2. غير موجود أيضا
ذوي الياقات البيضاء واللسان:	لا طوق
نمط:	لا الدانتيل الأحذية عالية الدانتيل
بطانة:	نسيج شبكة ناعم (سيتم الاحتفاظ به قدميك)
Sockliner:	مكافحة الساكنة مصبوب مرحبا بولي أو الآخرين حسب الاحتياجات الخاصة بك (تقلل إلى حد كبير آلام قدمك والتعب من العمل اليومي)
بناء:	حقنة
ارتفاع:	30 سم (متوسط)
بحجم:	يورو38-47.
دور:	CE EN ISO 20345: 2011 S3 SRC الانزلاق / التأثير / ثقب / مقاومة للماء، مكافحة ساكنة، صدمة abosprtion / ACD / النفط، معدن مجاني
يضمن:	6 اشهر
طرد:	لون مربع الداخلية التعبئة، 10 أزواج في الكرتون.
حجم الورق المقوى	68 × 65 × 34.5 سم
تحميل كمية الحاوية:	1800pairs / 1x20 'حاوية 3600pairs / 1x40 'حاوية

Product Pictures

SHOW DETAIL DISPLAY

- ***Over toe cap protection***

TIGER MASTER SAFETY SHOES

Your safety is our concern



Production Process

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N



Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T