

DESCRIPTION

TIGER MASTER

CE	CE PVC
GB02-1	
38-46	
38.5cm	
1.6	
100%	PVC
	PVC
	CE
	<ol style="list-style-type: none"> 1. PVC 2. Contract 3. 4.
5	
1 10 12 15	
50X30X43cm 50x30x46cm 50x30x56cm	
18KGS/ 17KGS 21kgs/ 20kgs 26kgs/ 25kgs	
	4200 1x20"GP 8500 1x40"GP 10000 /HQ 1x40"GP

				(mm)	(mm)
39	1.35	252	373	215	1.8-2.5
40	1.38	258	375	216	1.8-2.5
41	1.41	264	380	219	1.8-2.5
42	1.44	270	382	222	1.8-2.5
43	1.50	276	385	225	1.8-2.5
44	1.53	282	388	228	1.8-2.5
45	1.60	288	390	232	1.8-2.5
46	1.65	294	393	235	1.8-2.5
47	1.7	300	395	238	1.8-2.5

PRODUCT PICTURES

TIGER MASTER





COMPANY INFORMATION

TIGER MASTER

Tiger Master PVC ISO 9001:2015 CE ENISO 20345:2011 ASTM F2413-18

100

Production Process



1. Mixing Materials



2. Putting Polyester Lining



3. PVC Injection



4. Open The Mould



5. Demoulding



6. Tidying



7. Printing



8. Inspection



9. Packaging

Deburring



TIGER MASTER SAMPLE ROOM



Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY