

Product Description

Model	TM1020
Material	TTE + Cordura; PU + TPU
Features	1. Cordura 2. TPU
Weight	1. 37-47g 2. 37-47g
Color	Cordura
Size	Cordura TTE
Thickness	Hi-Poly Ole
Width	37-47
Length	CE EN ISO 20345:2011 SB-P SRC
Price	6000 6600PAIRS / 1x40'
Quantity	3300PAIR / 1x20'
Weight	58.5X40X32.5
Dimensions	3300PAIR / 1x20'
Weight	6600PAIRS / 1x40'

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT







[illegible][illegible]

[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY