

Product Description

□□□□	MILLER STEEL□□□□□□□□
□□□	336BR
□□□□□□	□□□PU□□□ □□□PU□□□□□
□□□	1.□□□□□□□□200□□□
	2.□□□□□□□
□□□	1.□□□□1100□□□□□□
	2.□□□□□□□
□□	PU□□□□
□□	□□□□□□
□□	□□□□□□
□□□	□□EVA□□□□□□□□□□
□□□	PU□□
□□□	□□
□□□	□□ 38-46
□□□	SB-P SRC□□□
□□□	6□□
□□	□□□□□□□□□10□□
□□□□	58.5x40x32.5□□
□□□□□□□□	3200pairs / 1x20'□□ 6400pairs / 1x40'□□

Product Pictures



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY

2020 INTERSEC

SAFETY SHOES & RAIN BOOTS PROFESSIONAL

