产品名称：低的切反对滑PU.唯一金属自由合成的脚趾运动类型安全鞋
编号： 6388
上部和鞋底：上部：Nubuck皮革和面料
鞋底：PU双密度
鞋头： 1。 复合脚趾盖或钢脚趾帽是抗抗抗力200焦耳。
在没有危险的情况下保护你的脚脚趾。
2.没有提供。
中底： 1。 非金属防渗透鞋垫抗抗抗性1100牛顿。
保护你的脚没有钉子或尖锐物体穿刺。
2.没有提供
衣领：高密度面料
舌头：高密度面料
衬垫：软空气网面料增加舒适
鞋垫：可拆卸的，映射双密度EVA脚床提供令人脚下的舒适和支撑。
建造：注射塑造
高度：低胸
尺寸： 36-47
标准： CE EN ISO 20345：2011 S1-P SRC或其他人。
功能：防滑/油/汽油/化学/抗冲击/穿刺抗性，防静电，轻质，无用，减震
保证： 6个月
唯一的是从中间的中间破坏，或在商品到达目的地港口后六个月内退出。没有保证鞋面。
包裹：每个颜色1对 盒子，每箱10对。纸箱尺寸：58.5 x 40 x 32.5 cm
容器的负载量： 3300PAIR / 1x20'容器
6600PAIRS / 1x40'容器

SAFTEY-SHOES

SAFTEY SHOES

SAFETY SHOES

SAFTEY SHOES

SHOE

SAFTEY SHOES

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Issued to

Issue Date

Expiry Date

Certificate No.

Product Reference(s)

Description

Type

Upper

Sole

Mould

Size Range

Category

Certificate of Quality Management System

Certificate No.: 105821Q

Certified that

HEILONGJIANG SAFER CO., LTD.

Unified Social Credit Code: 91230110706115698C

Has established a Quality Management System which is in Accordance with the Requirements of the Standard (Not Applicable to Clause 8.3)

GB/T 19001-2016/ISO 9001:2015

SCOPE OF CERTIFICATION

Sales of Personal Protective Equipments (Foot Protective, Hand Protective, Head Protective and Body Protective) and Traffic Safety Products (Safety Net, Road Cone, Safety Barrel, Speed Bump, Warning Belt, Caution Light, Triangle Sign, Baton, Reflecting Mirror, Reflector, Reflective Corner Guard and Reflecting Spike)

Validity of Certification: Nov. 17, 2021 To: Nov. 16, 2024
Issue Date: Nov. 17, 2021

(The effectiveness of this Certificate shall be validated by periodic surveillance audit of EWC for maintenance Conditions on effectiveness of certificate see http://www.cnas.org.cn and official website of Certification and Accreditation Administration of People's Republic of China http://www.cnca.gov.cn)

Expiry of This Certificate is Nov. 2021

Serial No.: Y1021072

EWC:

ANAB IAF

EU TYPE EXAMINATION CERTIFICATE

intertek

CE

Issued to

Issue Date

Expiry Date

Certificate No.

Product Reference(s)

Description

Construction

Toecap

Midsole

Last

Sole

Mould

Test Report(s)

Size Range

Category

Approved

Certification Manager

For and on behalf of TÜ Testing Services (UK) Limited

[PRODUCTION PROCESS]

Raw Materials

Punching

Cutting

Sewing

Eyeletting

Riveting

Heat - Setting

Molding

Making up

Inspection

Packing

Finished Goods

SAFETY SHOES TEST

Toecap Test≥200 Joules

Midsole Test≥1200 Newtons

ESD Anti-Static Test

Tear Strength ≥120N



Bondness Test
≥4.0N/mm

Flex Tester ≥ 36,000T

Canton Fair

SAFETY SHOES

RAIN BOOTS

PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY