

Product Description

鞋面	鞋面 3D 飞织 鞋面 鞋面 鞋面 鞋面
鞋型	6503
鞋面材质	3D fly knitted 鞋面PU 鞋面
鞋头	1. 鞋头 鞋头 鞋头 鞋头 200 Joules 鞋面鞋面鞋面鞋面鞋面鞋面
	2. 鞋面 鞋面
鞋面	1. 鞋面 鞋面 鞋面 鞋面 1100 鞋面鞋面鞋面鞋面鞋面鞋面
	2. 鞋面 鞋面
鞋面	3D fly knitted 鞋面
鞋面	鞋面 鞋面
鞋面	鞋面 鞋面 鞋面 鞋面 a 鞋面 鞋面
鞋面	鞋面 鞋面 EVA 鞋面 鞋面 鞋面 鞋面 鞋面 鞋面 鞋面 鞋面
鞋面	鞋面 鞋面
鞋面	鞋面
鞋面	36-47
鞋面	CE EN ISO 20345:2011 S1-P SRC 鞋面 鞋面
鞋面	6 鞋面鞋面鞋面鞋面鞋面鞋面鞋面鞋面鞋面鞋面鞋面鞋面
鞋面	鞋面/ 鞋面/ 鞋面/ 鞋面/ 鞋面/ 鞋面 鞋面 鞋面 鞋面 鞋面 鞋面 鞋面
鞋面	1 鞋面 鞋面 鞋面 10 鞋面 鞋面 鞋面 58.5 X 40 X 32.5 CM
鞋面鞋面鞋面鞋面	3300 鞋面 /1x20" 鞋面 6600 鞋面 /1x40 鞋面

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT



[PRODUCTION PROCESS]



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



Bondness Test ≥ 4.0 N/mm



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY