

Product Description

Model	701
Material	3D EVA
Weight	200g
Standard	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Weight	1100g
Standard	ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Weight	0.70 kgs / pr
Material	EVA
Material	3D EVA
Material	3D EVA
Material	EVA
Material	EVA HI POLY PU
Material	EVA
Material	EVA
Material	36-48
Material	3
Material	EVA
Material	1000 x 1000 x 58.5 x 40 x 32.5 cm
Material	3300pairs / 1x20' EVA 6600pairs / 1x40' EVA

Product Pictures







Huade®

重量

8.8345

克

去皮 单位 去皮

去皮

去皮

上海华德衡器有限公司





Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY