

Product Description

鞋面材料	eva 鞋面 鞋面 鞋面 鞋面
鞋型	761
鞋面材质	3D fly knitted fabric EVA
鞋头	1. Steel toe cap or composite toe cap 200 Joules 2. 鞋头 鞋
鞋跟	1. 鞋跟 鞋跟 鞋跟 1100 2. 鞋跟 鞋
鞋底	鞋底 鞋
鞋底	鞋底 鞋
鞋底	鞋底 鞋 鞋 鞋 鞋 鞋
鞋面	metatomical EVA 鞋 鞋 鞋 鞋 鞋
鞋底	鞋底
鞋底	鞋底
鞋底	36-47
鞋底	CE EN ISO 20345:2011 SB-P SRC 鞋 鞋
鞋底	鞋底/ 鞋底/ 鞋底 鞋底 鞋底 鞋底 鞋底 鞋底 鞋底
鞋底	600 鞋底 鞋底 鞋底 鞋底 鞋底 鞋底 鞋底
鞋底	1 pair per color 鞋底 10 鞋底 58.5 X 40 X 32.5 CM
鞋底	3300 鞋底 /1x20" 鞋底 6600 鞋底 /1x40 鞋底

Product Pictures



200 JOULE
TOECAP



SLIP-
RESISTANT



SHOCK
ABSORPTION



ANTI-STATIC



PETROL AND
CHEMICAL
RESISTANT



ANTI-NAIL
MIDSOLE



OIL
RESISTANT













01

Steel Toe

Anti-Shock Steel Toe

Steel toe cap design giving protection from dangerous falling objects

European Standard Steel Toe Cap

- ① Steel toe shoes with ASTM F2413 standard
- ② Impact resistance of 200J
- ③ AN1 Widened Steel Toe
- ④ Pressure resistance > 15KN



02

Puncture Proof

Puncture Proof Kevlar Midsole

Compared with the traditional steel plate midsole, kevlar midsole is lighter and better in anti-puncture performance

Kevlar midsole can protect your foot from injury while working



03

Anti-Slip

EVA OUTSOLE SOFT & COMFORTABLE

**Provides stronger wear-resisting,
suitable for complex pavements**



Breathable&Soft

Breathable & Comfortable Uppers
Compared with the traditional steel toed leather shoes , the fly weavingshoes are more breath and comfortable , and it will better fit your feet.



EU TYPE EXAMINATION CERTIFICATE

intertek

APPROVED BODY

The holder hereby declares that the certificate is valid for the products in accordance with the CE marking requirements of the applicable standards and that the holder is responsible for the validity of the certificate.

The holder hereby declares that the certificate is valid for the products in accordance with the CE marking requirements of the applicable standards and that the holder is responsible for the validity of the certificate.

The holder hereby declares that the certificate is valid for the products in accordance with the CE marking requirements of the applicable standards and that the holder is responsible for the validity of the certificate.

The holder hereby declares that the certificate is valid for the products in accordance with the CE marking requirements of the applicable standards and that the holder is responsible for the validity of the certificate.

The holder hereby declares that the certificate is valid for the products in accordance with the CE marking requirements of the applicable standards and that the holder is responsible for the validity of the certificate.

Issued to

WUENNINGER SYSTEMS LTD.
WUENNINGER SYSTEMS LTD., 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900, 3000, 3100, 3200, 3300, 3400, 3500, 3600, 3700, 3800, 3900, 4000, 4100, 4200, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 5000, 5100, 5200, 5300, 5400, 5500, 5600, 5700, 5800, 5900, 6000, 6100, 6200, 6300, 6400, 6500, 6600, 6700, 6800, 6900, 7000, 7100, 7200, 7300, 7400, 7500, 7600, 7700, 7800, 7900, 8000, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 8900, 9000, 9100, 9200, 9300, 9400, 9500, 9600, 9700, 9800, 9900, 10000, 10100, 10200, 10300, 10400, 10500, 10600, 10700, 10800, 10900, 11000, 11100, 11200, 11300, 11400, 11500, 11600, 11700, 11800, 11900, 12000, 12100, 12200, 12300, 12400, 12500, 12600, 12700, 12800, 12900, 13000, 13100, 13200, 13300, 13400, 13500, 13600, 13700, 13800, 13900, 14000, 14100, 14200, 14300, 14400, 14500, 14600, 14700, 14800, 14900, 15000, 15100, 15200, 15300, 15400, 15500, 15600, 15700, 15800, 15900, 16000, 16100, 16200, 16300, 16400, 16500, 16600, 16700, 16800, 16900, 17000, 17100, 17200, 17300, 17400, 17500, 17600, 17700, 17800, 17900, 18000, 18100, 18200, 18300, 18400, 18500, 18600, 18700, 18800, 18900, 19000, 19100, 19200, 19300, 19400, 19500, 19600, 19700, 19800, 19900, 20000, 20100, 20200, 20300, 20400, 20500, 20600, 20700, 20800, 20900, 21000, 21100, 21200, 21300, 21400, 21500, 21600, 21700, 21800, 21900, 22000, 22100, 22200, 22300, 22400, 22500, 22600, 22700, 22800, 22900, 23000, 23100, 23200, 23300, 23400, 23500, 23600, 23700, 23800, 23900, 24000, 24100, 24200, 24300, 24400, 24500, 24600, 24700, 24800, 24900, 25000, 25100, 25200, 25300, 25400, 25500, 25600, 25700, 25800, 25900, 26000, 26100, 26200, 26300, 26400, 26500, 26600, 26700, 26800, 26900, 27000, 27100, 27200, 27300, 27400, 27500, 27600, 27700, 27800, 27900, 28000, 28100, 28200, 28300, 28400, 28500, 28600, 28700, 28800, 28900, 29000, 29100, 29200, 29300, 29400, 29500, 29600, 29700, 29800, 29900, 30000, 30100, 30200, 30300, 30400, 30500, 30600, 30700, 30800, 30900, 31000, 31100, 31200, 31300, 31400, 31500, 31600, 31700, 31800, 31900, 32000, 32100, 32200, 32300, 32400, 32500, 32600, 32700, 32800, 32900, 33000, 33100, 33200, 33300, 33400, 33500, 33600, 33700, 33800, 33900, 34000, 34100, 34200, 34300, 34400, 34500, 34600, 34700, 34800, 34900, 35000, 35100, 35200, 35300, 35400, 35500, 35600, 35700, 35800, 35900, 36000, 36100, 36200, 36300, 36400, 36500, 36600, 36700, 36800, 36900, 37000, 37100, 37200, 37300, 37400, 37500, 37600, 37700, 37800, 37900, 38000, 38100, 38200, 38300, 38400, 38500, 38600, 38700, 38800, 38900, 39000, 39100, 39200, 39300, 39400, 39500, 39600, 39700, 39800, 39900, 40000, 40100, 40200, 40300, 40400, 40500, 40600, 40700, 40800, 40900, 41000, 41100, 41200, 41300, 41400, 41500, 41600, 41700, 41800, 41900, 42000, 42100, 42200, 42300, 42400, 42500, 42600, 42700, 42800, 42900, 43000, 43100, 43200, 43300, 43400, 43500, 43600, 43700, 43800, 43900, 44000, 44100, 44200, 44300, 44400, 44500, 44600, 44700, 44800, 44900, 45000, 45100, 45200, 45300, 45400, 45500, 45600, 45700, 45800, 45900, 46000, 46100, 46200, 46300, 46400, 46500, 46600, 46700, 46800, 46900, 47000, 47100, 47200, 47300, 47400, 47500, 47600, 47700, 47800, 47900, 48000, 48100, 48200, 48300, 48400, 48500, 48600, 48700, 48800, 48900, 49000, 49100, 49200, 49300, 49400, 49500, 49600, 49700, 49800, 49900, 50000, 50100, 50200, 50300, 50400, 50500, 50600, 50700, 50800, 50900, 51000, 51100, 51200, 51300, 514

[illegible]

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T