### **Product Description**

	000000000 pvc 00
	804
	40-46
	38 cm [][]
	1.6-1.7 kgs per pair
	100%[PVC][][][
	PVC□□
00	1.0/0/0/0000000000000000000000000000000
	5 🗆
	0000 1 000 10 00 0 0 00

**Product Pictures** 







## EU TYPE EXAMINATION CERTIFICATE

intertek

CE APPROVISE SOUTHERS

The size index size for the party fine to the 25 September 2009 10 September 2001 HIPOGRAFII (be ENGRAPHISMS ENGRAPHISMS Construction Texture Microsic Live Sale Microsic Microsic Called Texture Called T



CEaU

ter Microson Memogras Philippings.
Con and con Selection of THE Technology Control of Te



# EU TYPE EXAMINATION CERTIFICATE

intertek







terminant temp. Della



### Automatic Injection Molding Machine



Puncture Testing Machine



Impact Resistant Testing Machine



Tensile testing machine

### **Production Process**







1. Mixing Materials

2. Putting Polyester Lining

3. PVC Injection







4. Open The Mould

5. Demoulding

6. Tidying







7. Printing

8. Inspection

9. Packaging

# Canton Fair





#### SAFETY SHOES



#### **RAIN BOOTS**





PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY