

Product Description

Model	AMX04
Material	3D PU
Weight	1. 200g
Material	1. Kevlar 1100
Material	3D PU
Material	
Material	&
Material	HI-POLY
Material	PU
Material	
Material	3-13 37-47
Material	CE EN ISO 20345 2011 S1-P
Material	6
Material	10
Material	58.5x40x32.5cm
Material	3200pairs / 1x20' 6400pairs / 1x40'

Product Pictures



Breathable





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NANJI
3211, ZHOUJANG PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI ELECTRICITY APPL. CO., LTD.
1201 Village, Suzhou Town, Jiangsu Economic Zone,
Hangzhou Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
480V1-480V2
480V3-480V4
480V5-480V6
480V7-480V8
480V9-480V10

Description:

Construction:	Indoor
Terminal:	Open terminal
Material:	Open wire
Core:	CU
Wire:	600 (PVC)
Mark:	CCC
Mark:	CCC
Test Standard:	GB 19836.1-2015
Test Range:	30-45
Category:	SWP-10A

C.M. 1687-0218

 **Product Approval** 1687-0218

Intertek Testing Services (UK) Limited, 35 Littlefield Way, Borehamwood, Herts, SG9 6ND, UK



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY