

## Product Description

|          |  |
|----------|--|
| Model    | AMX06                                  |
| Material | 3D PU                                  |
| Weight   | 1. 200g                                |
| Material | 1. Kevlar 1100                         |
| Material | 3D                                     |
| Material |  |
| Material | &                                      |
| Material | HI-POLY                                |
| Material | PU                                     |
| Material |  |
| Material | 3-13 37-47                             |
| Material | CE EN ISO 20345:2011 S1-P              |
| Material | 6                                      |
| Material | 10                                     |
| Material | 58.5x40x32.5cm                         |
| Material | 3200pairs / 1x20'<br>6400pairs / 1x40' |

## Product Pictures



**Breathable**





***Company Information***



**Intertek**

### EC Type Examination Certificate

|                 |                                   |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|-----------------|-----------------------------------|---|---------------|------------|-----------|--------------|-----------|------------|-------|------|-------|------------|--------|-----|-----------------|-------------------|-------------|--------|-----------|---------|
| <b>CE</b>       | <b>Issued to:</b>                 | SHANGHAI HONGJIAN SHIBAO CO., LTD.<br>SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NUSUN<br>2017, JIANGSU PROVINCE, CHINA   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Authorised Representative:</b> | Intertek Asia SAFETY PRODUCTS APC (S) LTD.<br>1201 Village Square Street, Village Square Mall,<br>Singapore 556899, CHINA   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Date of Issue:</b>             | 11 January 2018   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Expiry Date:</b>               | 11 February 2020  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Certificate No.:</b>           | LEC170002947 (extension of certificate LEC170294794)  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Product Reference(s):</b>      | Safety Plug:<br>4850V 16A/20A<br>4850V 16A/25A<br>4850V 16A/32A<br>4850V 16A/40A<br>4850V 16A/50A<br>4850V 16A/63A  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Description:</b>               | <table border="0"> <tr> <td>Construction:</td> <td>Insulation</td> </tr> <tr> <td>Terminal:</td> <td>Open contact</td> </tr> <tr> <td>Material:</td> <td>Open plate</td> </tr> <tr> <td>Lead:</td> <td>2000</td> </tr> <tr> <td>Wire:</td> <td>4000 (PVC)</td> </tr> <tr> <td>Mount:</td> <td>ACB</td> </tr> <tr> <td>Test frequency:</td> <td>See national file</td> </tr> <tr> <td>Test range:</td> <td>25-63A</td> </tr> <tr> <td>Category:</td> <td>20P-25A</td> </tr> </table> | Construction: | Insulation | Terminal: | Open contact | Material: | Open plate | Lead: | 2000 | Wire: | 4000 (PVC) | Mount: | ACB | Test frequency: | See national file | Test range: | 25-63A | Category: | 20P-25A |
| Construction:   | Insulation                        |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
| Terminal:       | Open contact                      |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
| Material:       | Open plate                        |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
| Lead:           | 2000                              |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
| Wire:           | 4000 (PVC)                        |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
| Mount:          | ACB                               |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
| Test frequency: | See national file                 |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
| Test range:     | 25-63A                            |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
| Category:       | 20P-25A                           |   |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Signature:</b>                 | <i>C.M.</i> <span style="float: right;">16/1/2018</span>  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Printed Name:</b>              | <span style="float: right;">16/1/2018</span>  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Company Name:</b>              | <span style="float: right;">16/1/2018</span>  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Address:</b>                   | <span style="float: right;">16/1/2018</span>  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>City:</b>                      | <span style="float: right;">16/1/2018</span>  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |
|                 | <b>Country:</b>                   | <span style="float: right;">16/1/2018</span>  |               |            |           |              |           |            |       |      |       |            |        |     |                 |                   |             |        |           |         |

Intertek is a member of the Intertek Group of companies. Intertek Group is a leading provider of testing, inspection and certification services. Intertek is a member of the International Laboratory Accreditation Cooperation (ILAC) and the International Electrotechnical Commission (IEC). Intertek is also a member of the International Union of Pure and Applied Chemistry (IUPAC) and the International Union of Pure and Applied Physics (IUPAP).





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY