

Product Description

Material	PU
Model	BTA037
Material	PU / PU
Weight	200g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 Non
Weight	1100g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 Non
Color	
Color	
Color	
Color	
Color	
Color	
Color	EVA HI-POLY PU
Color	PU
Color	
Color	37-47
Color	6
Color	/ / / /
Color	1000 1000 58.5 x 40 x 32.5
Color	3300pairs / 1x20' 6600pairs / 1x40'

Product Pictures







TIGER MASTER[®] SAFETY SHOES

<https://safetyshoesfactory.com>

YOUR SAFETY IS OUR CONCERN!



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY