

Product Description

| | |
|----------|--|
| Model | BTA040 |
| Material | PU / PU |
| Weight | 200g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 Non |
| Weight | 1100g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 |
| CE | CE |
| Color | |
| Size | |
| Size | |
| Size | |
| Material | EVA HI-POLY PU |
| Material | PU |
| Material | |
| Material | 37-47 |
| Material | 6 |
| Material | |
| Material | 1000 1000 59 x 44 x 33 |
| Material | 3200pairs / 1x20' 6400pairs / 1x40' |

Product Pictures





TIGER MASTER[®] Professional SAFETY SHOES



YOUR SAFETY IS OUR CONCERN!

<https://safetyshoesfactory.com>



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY