

Product Description

□□□□□	□□□□□□□□□□□□□□
□□□	DTA001
□□□□□□□	□□□□□□□□□□ □□□PU□□□□
□□□	1.□□□□□□□□□□200□□□□□□□□ 2.□□□□non□
□□□	1□ □□□□ □□□ □ □□ 1100 □□□□ 2□ □ □ □ □□
□□□	1.2□□□/□□
□□	PU□□□□□□□
□□	PU□□□□□□□
□□	□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□	□□EVA□HI-POLY□PU□□□□□□□□□□□□□□□□□□□□□□□□
□□□	PU□□
□□□	□□□□
□□□	37-47□3-13□
□□□	□□CE EN ISO 20345 S1P SRC□□□□□□□
□□□	6□□
□□	□C 1□□□□□□□□□□□□□□10□□
□□□□	59 x 44 x 33□□
□□□□□□□	3200pairs / 1x20'□□ 6400pairs / 1x40'□□

Product Pictures





Company Information

Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY