

Product Description

Dielectric strength	18KV
Model	EH7201
Material	PU / PU
Thickness	200mm ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Weight	1100g ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345
Weight per pair	1.4 kgs / pair
Color	
Upper material	PU
Inner material	PU
Midsole	
Outsole	EVA HI-POLY PU
Upper material	PU
Inner material	
Midsole	38-46
Outsole	6
Dielectric strength	18kv
Weight	1 pair 10 pairs 59 x 44 x 33 cm
Quantity	3200pairs / 1x20' 6400pairs / 1x40'

Product Pictures

Insulation
18KV







Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

SAFETY SHOES TEST



Toecap Test ≥ 200 Joules



Midsole Test ≥ 1200 Newtons



ESD Anti-Static Test



Tear Strength ≥ 120 N



**Bondness Test
 ≥ 4.0 N/mm**



Flex Tester $\geq 36,000$ T

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY