

## Product Description

|            |  |
|------------|--|
| Model      | ETPU38   |
| Material   | PU / PU  |
| Thickness  | 200mm<br>ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 |
| Weight     | 1100g<br>ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 |
| Color      |  |
| Size       | 38-46  |
| Quantity   | 6  |
| Dimensions | 59 x 44 x 33 cm  |
| Package    | 3000pairs / 1x20'<br>6000pairs / 1x40'                 |

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY