

## Product Description

□□□□□	□□□□□□□□□□□□□□□□
□□□	GY017
□□□□□□	□□□□□□□□□□ □□□□□□□□□□□□□□□□□□
□□□	1.□□□□□□□□200□□□□□□□□ 2.□□□□non□
□□□	1□ □ □□□□□ □ □□ 1100 □□□□ 2□ □ □ □ □□
□□□	1.4□□/□□
□□	PU□□□□□□
□□	□□□□□□□□
□□	□□□□□□□□□□□□□□□□□□
□□□	HI-POLY□□□□□□□□□□□□□□□□□□□□□□□□
□□□	□□□
□□□	6□
□□□	37-47□3-13□
□□□	□□CE EN ISO 20345 S1P SRC□□□□□□
□□□	6□□
□□	□□□□□□□□□□10□□
□□□□	59 x 53 x 33□□
□□□□□□□	2600pairs / 1x20'□□ 5200pairs / 1x40'□□

## Product Pictures





***Company Information***



**Intertek**

### EC Type Examination Certificate



**Issued to:** FUJIAN HONGJIAN SHISEI CO., LTD.  
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NINGBO  
321117, ZHEJIANG PROVINCE, CHINA

**Authorised Representative:** HANDESHI SHANGHAI SAFETY PRODUCTS MFG. CO., LTD.  
1201 Village, Xujiahui Town, Xujiahui Street, Minhang District,  
Shanghai, China

**Date of Issue:** 11 January 2018

**Expiry Date:** 11 February 2020

**Certificate No.:** L20170002947 (extension of certificate L20170004199)

**Product Reference(s):** Safety Valve  
48501-08010  
48502-08020  
48503-08030  
48504-08040  
48505-08050  
800 200 300 400

**Description:**

Construction:	Wetwell
Working Pressure:	20bar water
Material:	Steel plate
Port:	DN20
Flow:	1000 l/min
Mount:	AC30
Test Standard:	EN 12286-2:2014
Test Range:	20-40
Category:	009 A24

*C.M.* 1687-0218

 *P. Li* 1687-0218

Authorized Representative  
1201 Village, Xujiahui Town, Xujiahui Street, Minhang District,  
Shanghai, China

Intertek Testing Services (UK) Limited  
15, West Nyack, NY 10994-2133, USA



# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY