


□□□□	□□□□
□□□	3030
□□□□□□	□□□□PU□□□□
□□□	1.□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345□□□□□ □□ □□□□□
	□□□2.□□□□□
□□□ □ □□□□□	1.□□□□□□□□ □ASTM F2413-05 M I / 75 C / 75□CE ENISO 20345□□□□□□□□□□□□□□
	□□□2.□□□□
□□	□□
□□	□□
□□	□□
□□□	□□□□□
□□□	PU □□
□□□	□ □
□□□	4-12□38-46□
□□□	3□□□□□□□□□□□□□□
□□	□□□□□□10□□□□□□□□
□□□□	□□□□□□□□□□□□
□□□□□□□□	2000□/ 1X20'□□□□ 5000□/ 1×40'HQ□□□□

**CE**□□□□□

□□PU□□□□□EN ISO 20345□2011					
□□□□	□□□200J□	□□□□	□□□ □100KΩ-1000MΩ□	□□□□□1100N□	□□□
SB	✓	✓			
SBP	✓	✓		✓	
S1	✓	✓	✓		
S1P	✓	✓	✓	✓	
S2	✓	✓	✓		✓
S3	✓	✓	✓	✓	✓

□□□□□□□□□□



□□□□

## Our Factory

