

## Product Description

|                      |  |
|----------------------|--|
| Material             | TPU  |
| Model                | JK015  |
| Material Composition | PU/TPU   |
| Weight               | 200g<br>ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345  |
| Weight               | 1100g<br>ASTM F2413-18 M I / 75 C / 75 CE EN ISO 20345 |
| Length               | 480  |
| Width                |  |
| Height               |  |
| Color                |  |
| Material             | EVA/Hi-Poly PU   |
| Material             | PU   |
| Material             |  |
| Weight               | 38-46  |
| Weight               | 6  |
| Material             |  |
| Weight               | 1000g 1000g 58.5 x 40 x 32.5                           |
| Quantity             | 3300pairs / 1x20'<br>6600pairs / 1x40'                 |

## Product Pictures





# Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

# SAFETY SHOES TEST



**Toecap Test  $\geq 200$  Joules**



**Midsole Test  $\geq 1200$  Newtons**



**ESD Anti-Static Test**



**Tear Strength  $\geq 120$ N**



**Bondness Test  
 $\geq 4.0$ N/mm**



**Flex Tester  $\geq 36,000$ T**

# Canton Fair



## SAFETY SHOES



## RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY