

Product Description

00000	PU00000000000000000000
000	PEP002
0000000	0000000 000PU&EVA&PU
000	1.0000000000000000200000
	2.0000non0
000	1.000000000000000011000000
	2.00000
00	PU000000
00	0000000
00	00000000000000000000000000000000
000	000HI-POLY0PU00000000000000000000000000000000
000	PU00
000	000
000	38-4604-120
000	00CE EN ISO 2034502011 SB-P000000
000	600
00	00000000001000
00000	59 x 44 x 3300041-430
00000000	3200pairs / 1x20'00 6400pairs / 1x40'00

Product Pictures





Company Information



Intertek

EC Type Examination Certificate



Issued to: FUJIAN HONGJIAN SHISEI CO., LTD.
SHANGHAI INDUSTRIAL ZONE, JIANGNAN TOWN, NANJI
3211, ZHOUJANG PROVINCE, CHINA

Authorised Representative: HANDEHU SHANGHAI PRODUCTIVE APPL. CO., LTD.
1201 Village, Xujiao Town, Jiangsu Economic Zone,
Hangzhou Province, China

Date of Issue: 11 January 2018

Expiry Date: 11 February 2020

Certificate No.: L20170002947 (extension of certificate L20170294719)

Product Reference(s): Safety Group:
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)
4800V (380V)

Description:

Construction:	Indoor
Working Voltage:	200V-250V
Rated Voltage:	250V
Rated Power:	4000 (3000)
Rated Current:	16A
Rated Frequency:	50/60 Hz
Rated Power Factor:	0.95
Rated Efficiency:	0.95
Rated Power Factor:	0.95
Rated Efficiency:	0.95

Notified Body: Intertek (UK) Limited, 3790 Woodhouse Drive, Leeds, LS11 8BA, UK

Signature: *C.M.* 15/01/2018

Printed Name: *C.M.* 15/01/2018

Address: Intertek (UK) Limited, 3790 Woodhouse Drive, Leeds, LS11 8BA, UK

Product Reference: L20170002947 (extension of certificate L20170294719)

Product Name: Safety Group: 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V)

Product Description: Safety Group: 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V)

Product Category: Safety Group: 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V)

Product Reference: L20170002947 (extension of certificate L20170294719)

Product Name: Safety Group: 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V)

Product Description: Safety Group: 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V)

Product Category: Safety Group: 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V), 4800V (380V)



Production Process



Raw Materials



Punching



Cutting



Riveting



Eyeletting



Sewing



Heat - Setting



Molding



Making up



Finished Goods



Packing



Inspection

Canton Fair



SAFETY SHOES



RAIN BOOTS



PROFESSIONAL SAFETY SHOE & RAIN BOOT FACTORY